Fresh

~~State "C"~~ Class "B"

NOTES

MYSORE GOVERNMENT SECRETARIAT PWD 149 IRI 57

File No. PWD 89 90 Irr 1

Department of P.W.D. 1394

Section M. Irrigation

Subject: Schedule of Rates of 1957-58 relating to the areas of former Hyderabad State

380

References: Public Works Main Irrigation Branch

Date	To whom sent	Notes and instructions
7-4-58	PWD	Grant 31/12-57

21/5/58

Schedule of Rates Post 7350

1) Sanction of Schedule of rates is not the subject that is being dealt with by Audit Branch. If approved this may be transferred to the concerned branch.

2) Sent: May 9mi

Voided 23/12



3)

Mysore Government Secretariat | File No. of 195 . | [App. F. III 2

Serial No.

Letter No 7941/3/TS. Dated 16-12-1957 from the Chief Engineer, Major Irrigation (North) regarding the Schedule of rates of 1957-58

4. It is stated that in the former Hyderabad state, it has been the practice to revise the schedule of rates year after year on overall percentage increase basis on the District Schedule of Rates and approval of Govt being obtained year after year for the enhanced percentage in the rates.

5. In order to switch over to the system of preparing District Schedule of rates for individual items every year as desired by the Accountant General, action is stated to have been taken to collect the relevant data from the Divisions and preparing the schedule in the standared form. As this work of switching over to the new system is heavy, it would require some time before it could be completed.

6. In the mean while considerable difficulties are stated to have been arisen in carrying out new works due to poor response from the Contractors to the tenders at the existing rates and the few tenders that are received are exceeding the ceiling rates inforce at the time being.

Note.—Contn. Sheet

Serial No.

As it would take some more time to complete the work of revising the schedule of rates for the first time in the new Standared form the CE. has forwarded a statement* showing the increase on works over the Sanctioned ceiling percentage for approval. The basis on which the original D.S.R. has been got-up and how the sanctioned ceiling percentage for 1956-57 was fixed is not known. Neither the authority of Sanctioning the original D.S.R is quoted nor a copy of the approved D.S.R is furnished.

* Page 3 of CF.

The statement (Page 3 of CF) is stated to 8
have been prepared taking into account the increase in cost of food stuffs and the consequent increase in the wages of labour, the introduction of decimal coinage which has affected the purchasing capacity etc. and that on the whole there is an increase of 15 to 25% on the previous rates as shown in the Statements at Pages 5 & 7 of CF.

It is stated that inorder to complete the 9
works now being taken up it is necessary that the extra percentage recommended be approved. For orders.

10

4/1/58 Sup 4/1/58 Addn CE(NIN) to necessary

WD 01774—GPB—PZS—800,000—26-10-57

KL 4/1/58

Mysore Government Secretariat [App. F. III 2

File No. of 195 .

Serial No.

11) A draft to C.E./M & (N) is put up for approval.
by 16-1-58

12) Dft. & fair are put up.
Sd/- 17/1/58

13) Dft. may also pl. see before I/c
17-1-58

Dft pld

14)
.1871

15) Issue
20/1/58

Issued
21/1/58

Letter No 1421/TS. dated 11-2-58 from the C.E. Major Irrign. (North) regarding the Schedule of Rates of 57-58.

16 The C.E.'s letter at Page 13 of C.F. is for perusal w.r.t information called for in T.O. letter dated 21-1-58 (Page 11 of C.F.).

17 It is stated that the original D.S.R was prepared in 1932 on the basis of the break up in regard to quantities of materials required and strength of labour Skilled and unskilled for completing each item as per schedule and that Govt. have

Note.—Contn. Sheet

Serial No.

subsequently conveyed approval to the payment of enhanced rates on percentage basis. Copy of the original G.O. is not furnished.

18) The C.E. M & (North) has requested approval to the payment of enhanced rate by a scaling percentage for 57-58 (vide Statement at Page 3 of C.F.) over the original schedule of Rate. This is for orders

18.3.58 Sec 19/3/58

19) D/I. may pl. see the letter of the CE (M N) at page 13 CF. w.r.t. Govt. letter at page 11 CF. The proposal may perhaps be agreed with the concurrence of FD, as the year 1957-58 is nearly over. CE (M N) will be requested to send the detailed Schedule of rate (item wise) also set up for the current year.

D/I)

KL 5/4

A

Secy P. W. D.)

20) dy to P.W.S. 9/4/58

21) for concurrence

FD) 11/4

D. K. SRINIVASACHAR
Secy. P. W. & Elec. Depts.

SECRETARIAT TO GOVERNMENT No. MG-532 10 APR 1958 PUBLIC WORKS & ELEC. DEPTT.

A(2)4 FINANCE DEPARTMENT No. 1033 12 APR 1958 GOVERNMENT OF MYSORE

S. S 6/4/58

WD 01774—GPB—PZS—300,000—26-10-57

F in default (7)
W & SBvi

251

WO No. 1033 P2529/49 (API 5)

22) In the circumstances explained and ~~finalised~~ in view of the fact that the schedule of rates is for the year already over, F.D may agree to the proposal subject to the condition at 'A' in prefrage.

DEPUTY SECRETARY 10 APR 1958 (1632) FINANCE DEPARTMENT

17/4

17/4

18/4

23) Work (W) Dt 18.4.58

for approval

Secy (PW)

D. K. SRINIVASACHAR
Secy, P. W. & Elec. Depts.

24) 21/4

OFFICE OF THE MINISTER FOR PUBLIC WORKS No. F-380 19 APR 1958 BANGALORE

SECRETARIAT TO GOVERNMENT 22 APR 1958 PUBLIC WORKS & ELEC. DEPTT.

25) A draft G.O. is put up for approval.

23.4.58

26) D/I may be rd. see before

27)

D/I

8)

pa D' 1k9 I R I S')

Signed Fair copies are placed in the File for being sent to the Financial Secretariat for Communication to the Accountant-General.

MCP 5/5/58 — *Financial Secretariat.*

MM 5/5/58.

FL: Conn: no. 6064

fm 6/5

Issue DVA 6/5/58

Issued fm 6/5

Issued MM 6/5

B

B 21/5/58

MYSORE PUBLIC WORKS DEPARTMENT.

From

The Executive Engineer,
Shimoga Division,
SHIMOGA.

To

~~The Chief Engineer, General,~~
Public Works Dept.,
Bangalore.

Date _____



SUBJECT :-Schedule of rates of 1957-58.

With reference to your No.21989-22104/Sp. dated 27-9-57 on the above subject, I write to submit herewith 3 copies of the approved schedule of rates for the year 1957-58 as desired.

A copy of the approved schedule of rates for 1957-58 has also submitted to the Superintending Engineer, Shimoga Circle, for kind ~~inform~~ reference.

The receipt of the same may kindly be acknowledged.

Yours faithfully,

mvk.19th.

Sd: (A.P.Lakshmirajiah)
Executive Engineer,
Shimoga Division.

No. C.S.T. 640-43 Dated. 23/10/57

1) Copy submitted to the Superintending Engineer, Shimoga Circle, along with the copy of the approved schedule of rates for favour of kind information and reference.
2) Copy submitted to the Secretary to Govt.P.W.D.,B'lore, for kind information.
3) Copy forwarded to the Accountant General, B'lore, for kind information.

A P Lakshmiraj
Executive Engineer, Shimoga Dn.

---

7) A list showing the ~~copies~~ Schedule of rate of the Divisions for 1957-58 approved and Copies received so far is portrup at flag "I" According to para 418 of the MPWA. Code the schedule of rate for 1957-58 should have been forwarded for approval by the end of January 1957 and approved well in advance before the Commencement of the current year. This does not appear to have been done in respect of many Divisions with result that though Six months of the official year have been gone by the Copies of Schedule of rate

for 57-58 of all the Divisions are not yet received.. If approved the C.E.s will be requested to forward the Schedule for 1957-58 of all the Divisions without further delay. A draft is also putup for approval.

27/10-57 Sws 28/10

8) Issue

24.10.57

9) Issued → No 7235/M9

31.10.57

1) Letter No 220/CR4/WAR3 dated 7-11-57 from A.G. regarding of Rate 1957-58.

2) Letter No 24044-6/SP. dated 11-11-57 from C.E. (E) on the same subject

---

10) It is stated by A.G. that the schedule of rate as revised for 1957-58 has not been received by him inrespect of the following Divisions through Six months in the year are already over. He has requested that necessary instructions may be issued to see that the Schedule of rate is sanctioned without further delay.

i) Sagar Division
ii) Chitaldrug Division
iii) Shimoga Division
iv) Mysore Division.
v) No 3 Sanitary Division Davangere.

11) The C.E. in his letter dated 11-11-57 has reported that the schedule of rate of all the Divisions of the erst while mysore State have been approved except for the Vidhana Soudha Division and that Copis of the approved Schedule

of rates are being sent to Govt and to the A.G. on receipt from the Ex. Engineers and after necessary verification in his office with the original.

12) It is seen that the schedule of rates in respect of 5 divisions referred to in para 10 above pertains to erstwhile Mysore State and they were already approved by CE. Copies of approved schedules in respect 4 divisions vide items (i) to (iv) above are received here.

13) If approved the A.G. will be replied that the CE. had already approved the schedule referred to above and the CE. will also be requested to send the copies of the above approved schedules to A.G. early. A draft is also put up for approval.

3.12.57 Sm 3/12/57

14) [illegible]

KB / M Spare / 6/12/57

7/12/57

Letter from CE. No 3 dtd 3 Jan Division forwarding copy of letter addressed to CE. submitting the 2nd Set of revised approved Schedule

16 Filed on 16/12/57

15) Issued

11/12/57

(CF 8 11)

Letter No 12741-3 Dated 12.12.57 from CE. M.D. (Sandur) forwarding a copy of letter addressed to A.G. there approved Copy S&R of Tungabadra works for 57-58 has been sent to him on 6-12-57

17) May be filed as there is no further reference

17/12/57

(18) Yes

Sm 17/12/57

PWM 7737/8743

19) No reply to T.O. letter dated 31-10-57 is received from CE., H.Q., (North) regarding the approval of Sch. of rates of 1957-58 relating to the works in his Charge. If approved the CE(N) will be reminded.

20) It is reported by the CE. (Cl) in his letter No 24044-6/SP. dated 11-11-57 that the Schedule of rates relating to Bombay Karnataka and the Hyderabad Karnataka area as well as the South Kanara Circle, the SEs' accord approval to the Schedule of rates of Divisions in respective circle (in accordance with the rules). A copy of Schedule relating to "South Kanara District" has been received from SE. W.C. Circle, Mangalore. If approved the SEs of other circles in East while may also will be requested to intimate whether the Schedule for 57-58 in respect of works in their Circle have been approved and if so to forward Copies of approved Schedule for reference in T.O.

21) 2 drafts for reply is for approval.

(Pages 12 + 12 of CF)

4-1-58

Sms 4/1/58

22) JSV.

KL 6.1.58

Issued
AP
8/1/58

Serial No.

Letter No R-56 dated 13-1-1956 from the S.E., K.I. Circle regarding Scheduled rates for 1957-58 ____

(23) It is reported that Schedule of rates of all Divisions under K.I.C Chandar have already Sanctioned for the year 1957-58 and that the EEs are being requested to forward one Copy of the S.R to T.O. directly. This may be filed for the present

-Sd- 18-1-57 Sdn 18/1/58

24) 21/1/57

Letter No T.S/3992 dated 18-1-58 from S.E. T.B.P. Reservoir Circle regarding the above subject.

25) It is stated that the basic schedule of rates for each district as originally Sanctioned in 1341 Fasli was maintained and only the percentage of enhancement Sanctioned and that for the year, 1956-57, the Govt. had Sanctioned the enhanced percentage of rates (vide Statements at page 196(a) of F.) and that the Sanctioned rates for 56-57 have been continued for 57-58 also. But a copy of the basic schedule of rate is not furnished. A draft to SE. T.B.P. Reservoir Circle requesting him to send a copy of it is putup for approval

-Sd- 27-1-58 Sdn 28/1

26) 28/1/58

Note.—Contn. Sheet

NP 31/1/58

File No. PWD 149 GRI of 1957.

Mysore Government Secretariat

Serial No.

27) No reply is received from SE. so far. A draft reminder is put up for approval.

6.4.58

28) Done

7/4/58

Issued

29) No reply is received from SE. so far. A draft reminder is put up for approval.

28/4/58.

30) Done

28/4/58

Issued

30/4

31) Letter No T.S/600/1 dated 30-4-1958 from SE., T.B.P. Reservoir Circle forwarding a copy of schedule of rates as approved by the Executive Engr of Hyderabad in 1341 Fasli.

Taken to S.R Books for reference

By 18/5/58

The above S.R. is placed below for perusal. This will be filed as further action is not necessary.

5/5/58

5/5/58

Kl 6/5

This will be recorded as 'C' collection if approved. (to be destroyed in 1969)

4/1/64

4/1/64.

Kl 9.1.64

Confidential

OFFICE OF THE CHIEF ENGINEER,
P.W.D. Major Irrigation (North)
Munirabad Raichur District.

No. 7941/3/TS D/- 16-12-57

To

The Secretary to Government,
P.W.D. Bangalore.

Subject:- Schedule of rates of 1957-58.

MYSORE GOVERNMENT SECRETARIAT
7350
21 DEC 1957
ELECTRICAL BRANCH

I have to inform you that in the former Hyderabad State, it has been the practice to revise the schedule of Rates year after year on overall percentage increase basis on the District Schedul of Rates and approval of Government being obtained year after year for the enhanced percentage in the rates.

In order to switch over to the system of preparing District Schedule of rates for individual items every year as desired by the Accountant General, action has been taken to collect the relevant data from the Divisions and preparing the schedule in the standard form. As this work of switching over to the new system is heavy it would require some time before it could be completed.

In the meanwhile considerable difficulties have arisen in carrying out new works due to poor response from the contractors to the tenders at the existing rates and the few tenders that are received are exceeding the ceiling rates inforce at the time being.

As it would take some more time to complete the work of revising the schedule of rates for the 1st: time in the new standard form a statement showing the increase on works over the sanctioned ceiling percentages is enclosed herein for approval. The statement has been prepared taking into account the increase in cost of food stuffs and the consequent increase in the wages of labour, the introduction of decimal coinage

P.T.O.

which has affected the purchasing ~~the~~ capacity etc. On the whole there is an increase of from 15 to 25% on the previous rates as shown in the statement.

In order to complete the works now being taken up it is necessary that the extra percentages recommended is approved early.

Early sanction to the enhanced percentages is solicited.

Encl: 3 statement.

CHIEF ENGINEER, P.W.D.,
MAJOR IRRIGATION (NORTH)
MUNIRABAD RAICHUR DISTRICT.

M.A.G.
14/12/57

STATEMENT SHOWING THE ENHANCED PERCENTAGE ON WORKS OVER THE SANCTION -ED CEILING PERCENTAGE.

S.L.No.	Particulars.	Sanctioned ceiling percentage for 1956-57.	Proposed ceiling percentage for 1957-58.
1	2	3	4
1.	Other items.	145%	160%
2.	Masonry, Blasting Buildings original and maintenance.	170%	190%
3.	Consolidation and picking(without hire charges of Roller).	225%	250%
4.	Collection of metal and soling.	120%	140%
5.	Lead beyond 2 miles and head load lead limited to 1 Furlong.	200%	225%
6.	Revetment.	200%	225%
7.	Earthwork:-		
	a) 106 to 109, 124 to 126 of D.S.R.	200%	225%
	b) Other items of earthwork.	150%	170%

14/12/57

CHIEF ENGINEER, P.W.D.,
MAJOR IRRIGATION (NORTH)
MUNIRABAD RAICHUR DIST.

M.A.G.
14/12/57

14/12

Wages of labour.		Past.		Present.
1. Palmoori.	OS Rs.	2-3-0	I.G.Rs.	2-4-0
2. Local(Earthwork) Male semi-skilled	"	1-4-0	"	1-8-0
Female	"	0-12-0	"	1-0-0
Un-skilled(Male)	"	0-1-0	"	1-4-0 to 1-8-0
(Female)	"	0-12-0	"	0-14-0 to 1-0-0.
Hammer-man	"	2-8-0	"	3-8-0
Helper	"	2-0-0	"	3-0-0

Cost of Food-materials.							
1. Jawar.	2¾	seers per	1-0-0	1³	seers per	1-0-0
2. Rice.	1¾	" "	1-0-0	1	" "	1-0-0
3. Chillies.	¼	" "	0-6-0	¼	" "	008-0
4. Dalls.	1½	" "	1-0-0	1	" "	1-0-0

It is seen from the above analysis that there is an increase of about 16% in the wages of labourers and about 25% in the cost of Food-grains and essential commodities.

....

CHIEF ENGINEER, P.W.D.,
MAJOR IRRIGATION(NORTH)
MUNIRABAD RAICHUR DISTRICT.

M.A.G.
14/12/57

SCHEDULE OF RATES CURRENT AT MUNIRABAD.

No.	Items.	Rate.	Unit.
Items 1 to 6:-	As these are D.S.R. items, to be paid on D.S.R. + extra percentage sanctioned for the year.		
7.	Painting letters 1" to 3" including material and labour.	0--1--6	Per letter.
	II MATERIAL.		
1.	Hooder stone 2' x 10" x 8"	1--8--0	Each.
2.	Lime burnt unslaked.	120--0--0	Per 100 cft.
3.	Lime slaked powder.	80--0--0	Per 100 cft.
4.	Sand ordinary.	10--0--0	Per 100 cft.
5.	Sand superior quality.	15--0--0	Per 100 cft.
	III LABOUR.		
1.	Male Mazdoor.	1--8--0	Per day.
2.	Female Mazdoor.	1--2--0	Per day.
3.	Boy Mazdoor.	0-14--0	Per day.
4.	Carpenter 1st: Class.	3-12--0	Per day.
5.	Mason 1st: Class.	3-12--0	Per day.
6.	Painter 1st: class.	3-12--0	Per day.
7.	Black Smith.	3--4--0	Per day.
8.	Survey Fieldsman.	45--0--0	Per moth.
9.	Junior Artist for relief model work.	3-12--0	Per day.
10.	Bullock carts with two bullocks and cartman.	98--9--0	Per month.

CHIEF ENGINEER, P.W.D.,
MAJOR IRRIGATION (NORTH)
MUNIRABAD RAICHUR DISTRICT.
14/12/57

M.A.G.
14/12/57

Appendix F. G.—1]

SUBJECT Schedule of rates of 1957-58.

Diary No. of letter replied to .....

Mysore Government Secretariat.

( )

the 195

Date of issue.....

Signed by.....

List of enclosures .....

Copied by.....

Examined by .....

Ref:- Your letter No 7941/3/TS dated 16-12-1957

Section

File No.

Serial No.

No.

To

~~with reference to~~

The CE.

Major Irrgn (North)

Sir,

With reference to the above I am directed to request you to furnish the following information

i) The basis on which the original D.S.R. has been got up.

ii) How the sanctioned ceiling percentage for 1956-57 was fixed.

A copy of the approved D.S.R may pl. be sent quoting the authority sanctioning the same. Y/F

For secy to Govt

16/1/58

Sms 17/1/58

WD-03447-GPB—P.Z.S.— 50,000-27-9-56.

1/

GOVERNMENT OF MYSORE

No. PU 47- 904 -4

Mysore Government Secretariat,
VIDHANA SOUDHA,

Dated, Bangalore,..21.Jan..195 8.

FROM

Secretary to the Government of Mysore,
Public Works Department, BANGALORE.

To

The Chief Engineer,
Major Irrgn.(North) MUNIRABAD.

Sir,

Sub: Schedule of rates of 1957-58.
====

With reference to the above I am directed to request you to furnish the following information:-

1) The basis on which the original D.S.R. has been got up.
ii) ~~How~~ the basis on which the Sanctioned ceiling percentage for 1956-57 was fixed.

A copy of the approved D.S.R. may please be sent quoting the authority sanctioning the same.

Yours faithfully,

17.1.58

(K.B.Murarappa)
Under Secretary to Govt.,
Public Works Department.

Issued
21/1/58

Government of Mysore.

T.B.P.Projects.

Office of the Chief Engineer,P.W.D.,
Major Irrigation (North)
P.B.Munirabad, Dist: Raichur.

No. 1421 / TS
9 Sheets.

dated. 11-2-58

To

The Secretary to Government,
Public Works Department,
Government of Mysore,
Bangalore.

Sub: Schedule of Rates of 1957-58.

Ref:-Your letter No.PWM.I.3990 dt.26.1.'58.

Sir,

GOVERNMENT S... MYSORE
No. 1394
SEC. I...
PUBLIC WORKS MAJOR IRRIGATION BRANCH

With reference to your letter cited above, I furnish herewith the particulars required.

1) The original D.S.R. was prepared in 1932 on the basis of the break up in regard to quantities of materials required and strength of labour skilled and unskilled for completing each item as per the schedule.

The cost of materials and wages of labour allowed were those prevalent in the market at the time.

2) Till 1942-43 the original schedule of rates was in vogue but in 1942-43 due to increase in cost of materials, foodstuffs and consequent increase in wages of labour Government sanction was obtained for enhancement of rates by a certain percentages extra over the original schedule of rates (vide Finance Department's circular No. 2744-45 dated 27.11.'53F copy enclosed together with the English translation)

Ever since, these rates were being revised periodically by the Board of Chief Engineers and Government sanction obtained to the enhanced rates proposed from time to time (vide copies of sanctions enclosed)

For 1956-57 the Secretary of former Government was addressed (vide Chief Engineer,B&R's letter No.C925 dated 6.1.'56 (copy enclosed) to obtain sanction of Government to continue extra percentage over D.S.R. as sanctioned for 1955-56.

P.T.O.

Copies of sanctions accorded from time to time are enclosed herein.

Yours faithfully,

Encl:-
1 copy of letter

for Chief Engineer, P.W.D.,
Major Irrigation (North)
Kunirahad.

Va/10.2.'58.

GRAMS: "ROADBUILD"

GOVERNMENT OF HYDERABAD.
Public Works Department.

No. 9525/W.R.

Dated 6th January, 1956.

From

Sri. M.A. Kayyum Khan, B.Sc(Allahabad) B.Sc.(Hons) Manchester,
Chief Engineer, PWD., Roads & Buildings, Hyderabad-Dn: 4.

To

The Secretary to Government,
Public Works Department,
Hyderabad-Dn.

Sub:- Extra percentages over D.S.R.

Sir,

Please refer your office letter No.9/Misc/55/6190/R&B. dated 1.12.1955.

This case was considered in the meeting of the Chief Engineers on 4.1.1956 and in the light of prevailing market rates it was considered necessary that the extra percentages over D.S.R. as sanctioned for the year 1955-56 may be continued for the year 1956-57.

I would therefore request you kindly to obtain sanction of Govern ent in this regard at an early date.

Yours faithfully,

Sd/-

FOR CHIEF ENGINEER, PWD.,
ROADS & BUILDINGS.

Copy to :-

1. Chief Engineer, P.W.D., Irrigation Branch, Hyderabad, for information.
2. Chief Engineer, P.W.D., Irrigation Projects, Hyderabad, for information.

/True Copy/

Copy of letter from the Secy.Finance to The A.G.Hyd. Reg: sanction to the increase in percentages over DSR for 1954-55. Ref: FD L.No.2387 dt.21.5.1954.

I am directed to state that sanction to the extra percentages in rates over the pre-war Dist.Schedule of rates in respect of the PWD works for the year 1954-55 was communicated to you through the F.D.letter referred to above.In the sanctioned statement, the extra percentages for Palwancha talug are shown in column No. 15 (175%) and for other taluqs of Warangal Dist. in column No.16 (150%). As the conditions in Mulug, Borgumpad, Yellandu taluqas are none too good and the response to call for tenders in these places has been almost nil as they are in Jungle area and labour is hardly available, the Rajpramukh has been pleased to accord sanction to include the above three Taluqas of Mulug,Borgampad and Yellandu in column No. 15 of the statement.

...

No. 7294/PWB/83/31/55F Dt. 21.12.1954.

Copy together with file No.22/M/54 (with note file) forwarded to the Secy: to Govt.PWD for information with ref, to his U.O.No.9779/R&B dt.27.11.'54. His attention is invited to the C.M's endt. at para 53 NF and requested to take early action in the matter.

No. 22/M/54/10494/R&B Dt. 30th Dec: 1954.

Copy for information to :-

1. Chief Engineer,R&B, with ref. to his letter No.R/43/54/1990/ - WR/ dated 14.6.'54.
2. Chief Engineer,I.B.
3. Chief Engineer,I.P.

Sd/-
Asstt. Secy:PWD(R&B).

No. Dt.

Copy to :-

1. The Superintending Engineer,PWD, Warangal.
2. The Executive Engineer,IB,Warangal.

for information and necessary action.

for CHIEF ENGINEER,IRRIGN:

/True Copy/

Copy of letter from the Secretary to Govt:Finance Dept: to the Accountant General,Hyd:State,regarding extra percentages over DSR., for the year 1953-54.

Ref:- F.D. letter No.353 dated 21.1.1953.

The Rajpramukh has been pleased to accord post-factor sanction for continuing the extra percentages over Dist:Schedule of Rates sanctioned for 1952-53 for the year 1953-54.

No.7266/PWB/83/31/55F Dated 20.12.1954.

Copy forwarded to the Secy:PWD. for information.His office file No.30/Misc. of 1954 together with notes files are herewith returned-

No.30/M/54/10500/R&B dated 30.12.1954.

Copy for information to Chief Engineer,IB.,etc.

Sd/- Asst: Secretary,PWD.,R&B.

No:- 14596/23/WI dated 3.1.1955.

Copy for information to :-

1) All the Superintending Engineers,PWD.,
2) All the Divisional Engineers.

Sd/-
for CHIEF ENGINEER,IRRIGATION.

/True Copy/

Confidential.

Office of the Chief Engineer, Irrigation, P.W.D., Hyderabad-Deccan.

21

D.O. No. 63/P.T.

dated. 19.11.1949.

My dear

Sub:- Extra percentages for 1359 Fasli.

Please refer to your D.O.letter No.12/C dated 13.1.'59F.

As recommended by you, the maximum extra percentages are approved. These rates should be taken as the maximum permissible for the areas noted and should be treated as confidential and works carried out within these maximum rates :-

1. Adilabad district.	Extra percentages as sanctioned for 1358 Fasli.
2. Kareemnagar district.	(a) Parkhal & Huzurabad Taluqs 175% over D.S.R.for all items except for extra lead and wood work which willbe governed by the rates of 1358 Fasli.
	(b) For all other taluq as sanctioned for 1358 Fasli.
3. Warangal district.	(a) Khamam, Yellandu, Palwancha, Madhira and Maahbubabad taluqs 200% extra over D.S.R.
	(b) For all other taluqs are sanctioned for 1358 Fasli.
4. Nalgonda district.	(a) Huzurnagar, Miryalguda, Suriapet, and Jangoan taluqs, 200% extra over D.S.R.
	(b) For all other taluqs as sanctioned for 1358 Fasli.

Yours Sincerely,

Sd/- P.Papiah.

19.2.'59F.

Mohd: Asadullah Esqr.,
S.E.,P.W.D.
Warangal Circle.

Copy forwarded to the Chief Engineer, PWD., C&B., Hyderabad, for information with reference to the discussion on the phone today.

/True Copy/

EXTRA PERCENTAGES DURING 1358 F. AS PER RECOMMENDATIONS.

	Brick in mud E.W. & balsting.	Buildings (Orgl.) & Maintenance Picking & consolidation.	Masonry	Earth work masonry & blastings (Original) & Maintenance Picking & Consolidation.	Metal Collection upto 10 Mls.	Other items.	Metal Collection beyond 10 Mls.	Metal Collection.
1) HEADQUARTERS CIRCLE.	200%	175%	150%	-	135%	125%	110%	-
2) MEDAK CIRCLE.								
1.Nizamabad.	-	-	-	150%	-	125%	-	100%
2.Medak.	-	-	-	150%	-	125%	-	100%
3.GULBARGA CIRCLE.								
1.Raichur.	20% extra than the other districts of Gulbarga Circle.							
2.Osmanabad.								
a) Latur Town	20% extra than rates for other taluqs in the Osmenabad Dist							
b) All other taluqs.	-	-	-	150%	-	125%	-	100%
3.Gulbarga.	-	-	-	150%	-	125%	-	100%
4.Mahabubnagar.	-	-	-	150%	-	125%	-	100%
5.B i d a r.	-	-	-	150%	-	125%	-	100%
4) Warangal Circle.-								
1.Warangal.								
a) Khammam) Madira &) Paloncha)	20% extra than rates for other taluqs in the Warangal Dist							
b) All other taluqs.	-	-	-	150%	-	125%	-	100%
2.Karimnagar.	-	-	-	150%	-	125%	-	100%
3.Nalgonda.								
a.Suriapet) Huzurnagar)	20% extra than rates for other taluqs in the Nalgonda Dist							
b.All other taluqs.	-	-	-	150%	-	125%	-	100%
4.Adilabad.	20% extra than the other districts of Warangal Circle							
5.Aurangabad Circle.								
1.Aurangabad,) Manded,Parbhani) & Bhir.)	-			150%	-	125%	-	100%

Note:- 1.R.C.C.,C.C.,Woodwork,painting,Iron & steel work and distemper will be paid on actual rates.

2.Lead beyond 2 miles and head load,lead and lift 200% extra.

/True Copy/

25

Office of the Engineer-in-Chief & Secretary,PWD.,
Hyderabad-Dn.

CIRCULAR NO. *1/C&B. Dated.29th December,1948.

Sub:- Extra percentage of Rates for the year 1358F.

BY THE ORDER OF THE CHIEF CIVIL ADMINISTRATOR.

The extra Percentages noted in the enclosed Statement are approved for adoption in 1358F. with the following remarks:

1. The rates are for guidance to prepare estimates for all works and for award of works on nomination upto Rs.5,000/- only. Beyond that Tenders will have to be called for and rates will be controlled by the terms of the Tender and the contract drawn up on its basis. Once a contract is drawn upit will not be effected by subsequent revision of rates by the Govt.These enhanced percentages will not therefore apply to contracts already current for 1357F.

2. If there are any special local conditions or general change of market conditions calling for deviation for the rates either on the higher or lower side, such reasons should be mentioned in the report of the estimate or revised estimates. In case the deviation is on the higher side prior approval of the Govt. should be obtained for adopting the rate and will be quoted in the estimate report.

3. The department may help the contractor to secure food-grains to locate sources of food supply at reasonable rates, but should not undertake contractual responsibility for procuring food-grains and supplying them to Contractors.In case rates are anticipated to go high on account of difficulty of contractors to procure food-grains even with the help of the department, suitable enhancement may be provided for in individual cases after taking action as per para 2 . above.

Sd/-

For ENGINEER-IN-CHIEF
& SECRETARY PWD.

/True Copy/

2

NO. 520/WR dated 23.3.1356 Fasli.

(BY THE ORDER OF H.E. THE PRESIDENT IN COUNCIL)

From:

The Secretary to Government,
Public Works Department, Hyd-Dn.

To

All the S.Es. and Supdt: of works, O.V.B.P.

ENHANCED RATES SANCTIONED FOR 1356 FASLI.

(a) Nizamabad Buildings & Masonry works. 150%

(b) Hyderabad & Suburbs, Aurangabad Dist: Nizamabad Dist: all items except buildings & masonry works, Bhir, Nanded and Parbhani Dists: Pocharam Project, Gangawathi, Kushtagi, and Alampur Tqs: of Raichur Dist, Madira, Palcancha, Khammam Tqs: and Parthial Jagir in Warangal Dists: Sirpur, Chinoor, Rajura, Asifabad, Luxettipet Taluqs of Adilabad Dists: and Mahadevpur Tq: of Karimnagar District. 100%

(c) Area declared as scarcity areas during 1355F 100%

(d) Other districts not mentioned above & except those items of work mentioned below for which 100% is recommended. 75%

(e) Masonry works, earthwork, consolidation by S.R.R., Buildings-original & repairs. 100%

(f) Cartage of all materials, all districts. 200%

(g) R.C.C. timber work, glazed work and steel work. AS PER MARKET RATES.

****

Copy to Secretary, Finance Department and C.A.G. for information

Sd/-
Secretary, P.W.D.

(Translation of original in Urdu).

True Copy

2

H.E.H.THE NIZAM'S P.W.D.

Circular No.16/WR. Dated 9.11.1355 Fasli.

Sub:- Enhanced rates for 1355 Fasli for P.W.D. Works.

As per orders of His Excellency the President, Govt: in the Finance Department have approved the following increased rates for 1355 Fasli in respect of the works in progress and those that may be let out.

The specific increased rates are applicable to the areas as set forth below:-

(A) (i)	Hyderabad & Suburbs, (ii) Nizamabad, (iii) City of Aurangabad & Jalna, (iv) Taluqas of Paithan, Gangapur & Ashti; (v) Nanded Town; (vi) Area governed by Pocharam Project, (vii) Partial Jagir area in Warangal District.	100% above DSR
(B) (i)	Warangal ~~xxxxxxxxx~~ Town, (ii) Taluqas of Madira, Paloncha, Yellandu of Warangal Dist: (iii) Taluqas of Bhir & Patoda of Bhir Dist: (iv) Taluqa Sircilla of Karimnagar Dist: (v) Taluqas of Sirpur, Chinnur, Ragura Luksettipet, Adilabad Dist;	75% above DSR.
C)	Area in which scarcity is declared during 1355F.	100% above DSR.
D)	Areas not specified above (excepting those works, which are detailed below for which an increase of 100% is approved.	60% above DSR.
(E)	Masonry works, consolidations by SRR. works of original buildings and maintenance repairs.	100% above DSR.

NOTE:- The above increased rates shall not count towards the work of steel, cement and wood which shall be governed by the market rates. These ~~xxx xxxxx~~ extra percentages shall represent the maximum permissi le limit during 1355 Fasli.

In applying these rates to any particular contract, the following procedure shall to adopted.

Tenders have been accepted during 1355 F, so far upto the maximum limit sanctioned by Government for 1354F. In case where the tenders may have been lower than the prescribed, the prescribed level of the maximum rates, the contractors shall be entitled to receive as extra the percentage difference between the maximum limit previously sanctioned and that subsequently revised.

For instance, if a contractor has agreed to carry out a work at 55% above DSR, when the maximum limit was 60% above DSR. and this limit as subsequently sanctioned is 75% above DSR., the contractor shall be eligible for 55 + (75-60)%=70% extra only on the DSR.

The above shall be applicable to :-

1. All works of the maintenance of roads, buildings & irrigation
2. Special & emergent repairs whose estimates amount upto Rs.5,000/-.

Payment of enhanced rates on these works shall be made by DE's after obtaining the approval of the S.E., concerned.

In regard to all original works and special & emergent repairs whose estimates exceed Rs.5,000/- the procedure shall be as follows:-

1. For works started in 1355F, no extra rate over the approved tender rates shall be allowed.
2. For works started prior to 1.1.55F, excepting where any enhanced rates may have been approved by this office for 1355F, extra rates upto the sanctioned limit shall be admissible provided:-

(a) The work has been in progress during 1355 Fasli;
(b) The progress has been uniform and satisfactory.

~~xxxxxx~~ P.T.O.

Note:- No increase shall be admissible in the case of works which though in progress or completed, were subsequently damaged or washed away. Divisical Engineers, shall submit statements in the accompanying form to the S.Es, concerned, showing the extra percentages payable to the contractors. These statements shall be submitted by S.Es to this office along with their recommendations not later than the 1st of Aban, 1355F, for approval. The statements shall be sent to this office in duplicate.

It may be added that for works done prior to 1.1.1355F, for which enhanced rates have already been sanctioned by Govt: and also by this office, no recommendations for the revision of these rates shall now be entertained.

نقل مراسلہ از دفتر تعمیرات سرکار عالی صیغہ تخمینہ جات واقع ۷ اپریل ۵۲ف

ف ن ل (۲۹۳۸ تا ۲۹۴۱)

حسب الحکم عالیجناب کنل واٹ سر صدر اعظم بہادر دام اقبالہ سرکار عالی

بعہد تخمینہ جات

درخواست جناب صدر ناظم صاحب حسابات تنقیح سرکار عالی مع تجویزات مذکورہ مرقومہ ہذا بابت اضافہ حالات مقدمہ باعث تبدیلی حالات

بسلسلہ مراسلہ نمبر ہذا ف ن (۲۷۴۴/۲۷۴۵) مورخہ ۲۷ مارچ ۵۳ف بعہدہ صدر مقیم مع خرچ کے باعث تبدیلی حالات کے لحاظ سے ۵۳ف کے شروع کے تخمینہ جات تعمیرات میں ترمیم کی تجویز پیش کرتے ہوئے سررشتہ تعمیرات نے وضاحت کی ہے کہ جن حالات کی بنا پر سررشتہ کے کارہائے کئے تخمینہ ۵۳ف میں جو اضافہ کیا گیا ان میں تبدیلی ہوگئی ہے۔ حمل ونقل میں اب وہ دقتیں پیدا نہیں ہیں۔

لہذا متذکرہ تخمینہ کے شروع میں مزید اضافہ سے متعلق سررشتہ تعمیرات کو یہ اختیار عطا کیا جائے کہ وہ مختلف کاموں کے مندرجہ ذیل اضافہ سالانہ کا منظور کرے۔

مراعت مطالبات

الف:- زنانہ آباد۔ کارپنٹری رقبہ زنانہ سانگلہ۔ بودھن۔ بالاپور۔ بلندو۔ حدود برطانوی نہ سے متصل مطالبات کے کام۔ اسٹے مطالبات کے علاوہ جہاں نوعی پر کلاٹ کا کام انجام دیا جارہا ہے۔ — ۲۵ فیصد

ب:- دیگر اضلاع کے ——— ۶۰٪

ج:- پختہ بندوبستی کام۔ اسٹیم روڈ رولر سے سڑکوں کا استحکام اور نگہداشت عمارات کاموں کے ——— ۱۰۰٪

۲- ۵۴ف میں نگہداشت شوارع کے لئے متذکرہ تخمینوں کے دوشنبہ پر کر ۳۵٪ فیصد اضافہ اور نگہداشت کارہائے آبپاشی کے متذکرہ تخمینوں پر ۲۵ فیصد اضافہ منظور کیا جائے جس کے لحاظ سے حسب تفصیل ذیل اٹھ لاکھ اکیس ہزار پانسو ستر روپیہ کی زائد رقم درکار ہوگی۔

الف:- نگہداشت شوارع کے متذکرہ تخمینوں کا دوشنبہ رقم پر اوسطاً ۳۵ فیصد اضافہ ۶۳۹۵۷ پر

ب:- نگہداشت کارہائے آبپاشی کے متذکرہ تخمینوں پر اوسطاً (۲۵٪ فیصد اضافہ) ۱۸۲۰۰۰

یکساں ۸۲۱۵۷۰ روپیہ

ف توازن سرشتہ ہی تحت نگہداشت کا رہا ہے شوارع ۵۴۸۲۰۰ روپیہ تحت نگہداشت کا رہا ہے
آبادی ۵۵۹۲ کا رقم لگی گئی ہے - ان رقوم کا میزان ۹۳۷۹۲ روپیہ ہوے ہیں جو مطلوبہ
رقم تعدادی ۸۲۱۵۷۰ سے منہا کر دنا کا ذمہ ایک لاکھ اسی ہزار سات سو
اکہتر روپیہ کا تخمینہ فراہم کرنا ضروری ہے

ف سرشتہ منیانس کو مجوزہ اضافہ شرح سے ۵۴ ف کا حدیث بابی شرط الاتفاق
فراہم کیا ہے کہ تراوزہ ہاے ۵ تعویل دہ میں اضافہ کیے ہم عمل منتقلی استفادہ بن لیا جا رہا
ف تحریر ذیل کا باب حکومت منعقدہ ۸ / کو ۵۴ ف میں اروائی پیش ہوے ہم جسمیل
شمار دار منظور ہوئی ہے

بالا اتفاق طے پایا ہے جب تک سرشتہ تعمیرات حالات تنخواہ دہندہ
کا رہا ہے سرشتہ تعمیرات کو منظورہ شرحوں میں اضافہ کا منظوری دینا ہے

مذکورہ بالا اضافہ شرح کا نفاذ تعداد ۳ از ۵۴ ف ہوگا جس سے ۵۴ ف
بالا تنقیح و تصدیق ضابطہ عمل لایا جاوے

نقل بخدمت جناب چیف انجنیر و معتمد مطلب تعمیرات سرکار عالی کو ارسال ہے
کہ ۲۶۹۳ تعداد ۳۰ / کو ۵۴ ف دوائی مثل (۱۹۹) سرکت پایہ تسلیم ۵۳ ف اطلاع ملے
نان

نقل بخدمت جناب منیانس اکوائیز صاحب ۰۰۰ ارسال ہے ۲

حررستوط

نقل جدیت

منجانب معتمد منیانس

۱۳۵۵ف
واقع ۲ رمئی

نقل مراسلہ از دفتر معتمد سرکار عالی صیغہ فنانس

نمبر ۲۵۱۲/۲۵۱۲

جناب العالی القاب نواب سر صدر اعظم بہادر دام اقبالہ
حکومت سرکار عالی

مقدمہ

جناب ۔۔۔۔۔۔۔۔۔۔ معتمد فنانس
خدمت جناب صدر اعظم صاحب بہادر حسابات و تنقیح سرکار عالی
شاخ تعمیرات

اضافہ شرح بابت کاروبار تعمیرات

بسلسلہ مراسلہ دفتر ہذا نمبر ۲۹۳۸/۲۹۴۱ مورخہ ۱۷ آبان ۱۳۵۴ف مقدمہ صدر ترقیم ہے کہ جو اضافہ جات سنہ ۱۳۵۴ف میں منظور ہوئے تھے۔ وہ ہر ضلع کیلئے کافی ثابت نہیں ہوئے اسلئے سنہ ۱۳۵۵ف کیلئے سررشتہ تعمیرات نے مرتب کیا ہے کہ حسب ذیل مقامات کیلئے ذیل مجازی درجہ کے ہوئے اضافہ جات منظور کئے جائیں۔

(الف) (۱) بلدہ حیدرآباد و نواح (۲) نظام آباد (۳) شہر اورنگ آباد و حاشیہ (۴) تعلقہ ہنس گنگا پور واسٹی (۵) شہر مانڈیر (۶) یوبارم پرامکٹ اور پرتھال گاؤں موقع ضلع ورنگل

۷۵% فیصد اضافہ شرح

(ب) (۱) شہر ورنگل (۲) تعلقہ مدھرہ پالونچہ اور بلدہ ضلع ورنگل نمبر (۳) تعلقہ بیڑ اور پاڈھ ضلع بیڑ (۴) تعلقہ سرسلہ ضلع کریم نگر (۵) تعلقہ سرپور۔ چنور۔ راجورہ لکسم پیٹھ ضلع آصف آباد

۷۵% فیصد اضافہ شرح

(ج) وہ مقامات جو ۱۳۵۵ف میں قحط زدہ قرار دیئے جائیں ۔۔۔ ۱۰۰% فیصد اضافہ شرح

(د) رقبہ جات و اضلاع جنکی مراعت اوپر نہ لگائی ہو (سوائے ان اضلاع کے جنکی مراعت ذیل درجہ زیل کی گئی ہے۔ جسکے لئے ۱۰۰% فیصد اضافہ تجویز کیا گیا ہے

۶۰% فیصد اضافہ شرح

(ہ) بندشی کام استحکامات اور کاروبار محمارات ابتدائی کاروبار کے ترقیم پر اضافہ جات ہوئے۔ سمنٹ اور لکڑی کے کاموں سے غیر متعلق رہینگے

۱۰۰% فیصد اضافہ شرح

اضافہ جات شروع کاروبار کے وقت کاروبار نگہداشت شوارع محمارات اور آبپاشی کیلئے جو رقوم زاید از موازنہ درکار ہونگے۔ انکا تفصیل درجہ زیل ہے۔

(۱) نگہداشت شوارع کیلئے حساب ۶۰٪ فیصد اضافہ بلحاظ نگہداشت باعتہ ۵۵ف (۱۰۲۳۲۸۶) روپیہ

(۲) نگہداشت آبپاشی کیلئے حساب ۲۵٪ فیصد اضافہ بلحاظ نگہداشت باعتہ ۵۵ف (۱۵۰ روپیہ)

(۳) نگہداشت عمارات کیلئے حساب (۵۰ فیصد اضافہ بلحاظ نگہداشت باعتہ ۵۵ف (۲۲۸۵۰۳) روپیہ

(۴) نگہداشت عمارات سررشتہ آبپاشی کیلئے حساب (۵۰ فیصد بلحاظ نگہداشت باعتہ ۵۵ف (۳۴۲۰۱) روپیہ

سررشتہ فنانس نے مجوزہ اضافہ جات شروع سے اس شرط کے ساتھ اتفاق کیا ہے کہ تمام سال
دوران شروع کا لحاظ رکھا جاوے گا۔

اصلی کمیٹی زیر حکومت منعقدہ ۲۷ اردار ۵۵ف میں یہ امر واضح ہونے پر مجوزہ شروع منظور
کیے گئے تھے۔ جنکا نفاذ از ابتدائے سال آئندہ ۵۵ف ہوگا۔ پس براہ کرم حسب مراحت بالا تنقیح
واصدار فالطبع حکم فرمایا جاوے۔

نقل درخواست جناب معتمد صاحب سررشتہ مالیات ولام خاصلہ ۲۱۹۱ مورخہ ۵۵ف
دربارہ گذارش اخراجات وصل وترمیم مدیہ نگہداشت شوارع وعمارات وآبپاشی کیلئے جو رقم زائد از
دوانہ سررشتہ مالیات کے منظوری خسروی براہ کرم حاصل فرمائی جاوے۔

نقل درخواست جناب فنانشل اڈوائزر صاحب بغرض اخراجات وصل ۵۵ف

ز حدستط

جناب معتمد فنانس

نقل درست ہے

ز

M. G. S. App. F VI—G. 2]

SUBJECT Schedule of rate of 1957-58

Diary No. of letter replied to 1894/K9

Section

Serial No.

File No.

Mysore Government Secretariat

( )

the 195 .

Proceedings of the Government of Mysore

Date of issue.....195 .

Signed by.....

Read—

Correspondence ending with Letter No 1421/TS Dated 11-2-58 from the C.E. Major Irrigation (North) stating that the original District Schedule rate was prepared in 1932 ~~Order thereon No.~~ on the basis of the break up in regard to quantities of materials required and strength of labour skilled and unskilled for completing each item and that the Govt. of former Hyderabad State have subsequently conveyed approval to the payment of enhanced percentage basis year

May this be—

(i) printed?
(ii) treated as a Standing Order?
(iii) published in the Gazette, English Part?
(iv) translated?
(v) placed at the disposal of the Press?
(vi) published in the Gazette, Kannada Part?

after year and that it would take some time to complete the preparation of revised schedule of rates for individual items to switch over to the new system in the Mysore State and that considerable difficulties have arisen in carrying out new works at the existing rates and that in order to complete the work that are now being taken up) requesting approval of Govt in the circumstance explained for enhanced ceiling percentage for 1957-58 as per the annexed Statement.

Order thereon

Order thereon.—No. PWD 149/R/57 dt 5-5-58

~~Approved~~ The enhanced ceiling percentage for 1957-58 as per the annexed Statement, is approved ~~in the circumstances explained~~ subject to the condition that detailed Schedule of rates (item wise) shall be got up for the current year 1958-59.

By order

24/4

for Secy to Govt P.W.D.

List of Enclosures.

Copied by

Examined by

To
The C.E. M.D. (North)
The A.G, Bangalore
through F.D.

WD 0259—GPB—P.Z.S.—1,00,000—23-2-56

23-4-58

dms 23/4/58

PROCEEDINGS OF THE GOVERNMENT OF MYSORE.

R e a d-

Correspondence ending with letter No.1421/TS dated 11-2-58 from the Chief Engineer, Major Irrigation (North) stating that the original District Schedule rate was prepared in 1932 on the basis of the breakup in regard to quantities of materials required and strength of labour skilled and unskilled for completing each item and that the Government of former Hyderabad State have subsequently conveyed approval to the payment of enhanced percentage basis year after year and that it would take some time to complete the preparation of revised schedule of rates for individual items to switch over to the new system in the Mysore State and requesting in the circumstances explained approval of Government for the enhanced ceiling percentage for 1957-58 as per the annexed statement.

Order No. PWD 149 IRI 57
Bangalore, dated 5th May 1958.

The enhanced ceiling percentage for 1957-58 as per the annexed statement, is approved subject to the condition that detailed schedule of rates (item wise) should be got up for the Current Year 1958-59.

By order and in the name of
the Governor of Mysore,

(K.B.Nuraappa)
Under Secretary to Government,
Public Works Department.

To

The Chief Engineer, Major Irrigation (North) Hunsiratad.
The Accountant General, Mysore, Bangalore (through Finance Dept)

ANNEXURE to G.O.No.

Statement showing the enhanced percentage on works over the Sanctioned ceiling percentage.

S.L.No.	Particulars.	Sanctioned ceiling percentage for 1956-57.	Proposed ceiling percentage for 1957-58.
1	2	3	4
1.	Other items.	145%	160%
2.	Masonry, Blasting Buildings original and maintenance.	170%	190%
3.	Consolidation and picking (without hire charges of Roller).	225%	250%
4.	Collection of metal and soling.	120%	140%
5.	Lead beyond 2 miles and head load lead limited to 1 Furlong	200%	225%
6.	Revetment.	200%	225%
7.	Earthwork:		
	a) 106 to 109, 124 to 126 of D.S.R.	200%	225%
	b) Other items of earthwork.	150	170%

for Secretary to Government,
Public Works Department.

GOVERNMENT OF MYSORE.

No.PWD 112 ADR 58. Mysore Government Secretariat, Dated Bangalore the 27th November 1958. Kartika 6 Saka era 1880.

CORRIGENDA.

In annexure to G.O.No.PWD 112 ADR 58, dated the 27th September 1958 against item No.3 for Gulbarga Division Road 250% instead of 225%.

By Order and in the name of the Governor of Mysore,

(E.Govindarajulu Nayak)
Under Secretary to Government
P.W. and Electrical Department.

To

The Chief Engineer (General), Bangalore.

The Accountant General, Mysore, Bangalore through Finance Department.

mab.10)

List of Approved Schedule of rate for 1957-58 of Several Divisions received for reference in Secretariat.

No	Name of Division	From whom received	No and date of reference to receipt
1.	South Kanara district	SE. West Coast Circle, Mangalore	Roc No 4349-2/56/04 dt 27.3.57
2.	Krishna Raja Sagara Division —	CE. (Gl) —	16940-1/SP dt 28.6.57
3.	Davangere Division	"	18041-2/SP dt 13.7.57
4.	Sugar Cane Cess Fund Division —	"	18296/SP dt 20-7-57
5.	Mandya Division	"	18614-5/SP dt 30.7.57
6.	Schedule of Rate of Upper Cauvery Division	"	18539-40/SP dt 26-7-57
7.	Water Supply Division	"	19090-1/SP dt 5-8-57
8.	No 2 Sanitary Division Mysore —	"	20176-7/SP dt 27.8.57
9.	Kolar Division —	"	21238-9/SP dt 12.9.57
10.	Nanjangud Division —	"	20826-7/SP dt 6.9.57
11.	No 1 Sanitary Division Bangalore	"	23237-8/SP 21.10.57
12.	Special Water Supply division Bangalore —	"	22153-54 dt 27-9-57
13.	Bellary Division — Reference regarding Continuation of the appd Sch. of 56-57 during 57-58	"	19858-61/SP dt 20.8.57

No	Name of Division	From whom received	No and date of reference to receipt
14	No 1 – B.R.C. Division	C.E. N. 9 (South)	M. No 9258–62 dt 11-10-57
15	No 2 – Materials Division B.R.P.	"	M. No 9120–925 dt 8-10-57
16	No 3 – Workshop and Mechanical Division B.R.P.	"	—do—
17	No 4 – B.R.L.B. Channel Division —	"	M No 9330–35 dt 10-11-57
18	No 5 – B.R.R.B. Channel Division —	"	M No 6229–33 dt 13.8.57
19	No 7 – Tunnel Division of Bhadra Reservoir Project	"	M. No 9330–35 dt 10-11-57
20	No 9. Survey and Designs Division of B.R. Project —	"	M No 9193-7 dt 10-10-57
21	Nagar Reservoir Division.	"	M No 6536–40 dt 19.8.57
22.	Ambligola Reservoir works – Division —	"	M. No 6971-5 dt 27.8.57
23	Tumkur Division	C.E. (EC)	No 23461-4/SP dated 28.10.57
24.	Hassan Division.	—do—	No 23457–60/SP dt 28.10.57

27.10.57

(continued)

CE(SP)

1) Mysore Dr. (3) 6-11-57 " 23925-6/SP

2) Bangalore Dr. (4) 6-11-57 " 23933-8/SP ✓

3) Sagar — Dr. (5) ~~6-11-57~~ ~~23925-6/SP~~ ✓

4) Kalaburgi Dr. (1) 31-10-57 " 23597-600/SP.

5) Kolar Dr. (6) 12-9-57 " 21238-9/SP. ✓

6) Spl. Works Supply Dr. (10) 27-9-57 " 22153-54/SP

7) (Sharavathi Valley Circle) (8) 20-11-57 " 11480-84 -

8) Chitaldurg Dr. (9) 22-11-5 " 24701-4/SP. ✓

9) Shimoga Dr. (7) 12-11-57 " 24095-8/SP ✓

10) Chickmagalur Dr. (2) 31-10-57 " 23593-6/SP. ✓

11) SPO 3. Sanitary Division Davangere for 1957-58 — } CE (SP) No 26162-5/SP dated 9-12-57)

12) S.P.Y Tunga ~~anicut~~ Division — } CE's M 9 Sanction No 12317-21 dt 6-12-57

Buildings Division Bangalore -

Appendix F. G.—1]

SUBJECT Schedule of rate of 1957-58.

7235/M9

Diary No. of letter replied to .....

Mysore Government Secretariat.

( )

the 195 .

Date of issue.....

Signed by.....

List of enclosures .....

Copied by.....

Examined by .....

Section

File No.

Serial No.

No. PWM9-7346-48 dt 31.10.57

To

1) The C.E. (SC)
2) " M.9.(South)
3) " M 9. (North)

Sir

I am directed to state that according to para 418 of M.P.W.M. Code the Schedule of rates for 1957-58 ~~of Schedule~~ shall have been submitted for approval by the end of January 57 and approved well in advance before the commencement of the current year. This does not appear to have been done in respect of many Divisions with the result that though Six months of the official year have gone by the

copies of
the Schedule for 57-58 asend- yet received duly
approved. I am to request you kindly to arrange
of schedule for 57-58
for the forwardal of all the divisions without further
delay.

Y/I=

29.10.57
For Secy to G.Advt.
P.W.D.

28.10.57

31.10.57

OFFICE OF THE ACCOUNTANT GENERAL,
MYSORE.

No. 220/CMG/W3. Bangalore, dated the 10- 1957.

From

The Accountant-General, Mysore,
Bangalore.

To

The Secretary to Government of Mysore,
Public Works Department,
Bangalore.

MYSORE GOVERNMENT SECRETARIAT
15 OCT 1957
(MIJ) (HP)
PUBLIC WORKS BRANCH

Dept. 16/10/57
PUBLIC WORKS DEPTT.

Sir,

Schedule of Rates for 57-58.

I am to state that the schedule of rates, as revised for 57-58 has not been received for the marginally noted Divisions though six months in the year are already over. They were due in this office on-or-before 10-4-1957. As the schedule is required for the important purpose of preparing Estimates and Settling rates and check of rates in the Audit Office delays in revising rates may result in excess payments.

I am therefore to request that necessary instructions may be issued to see that the schedule of rates is sanctioned without further delay.

Yours faithfully,

N. Sundaram
(N. Sundaram),
Asst. Accounts Officer.

MYSORE GOVERNMENT SECRETARIAT
NO. 2069
18 OCT 1957
PUBLIC WORKS MAJOR IRRIGATION BRANCH

35-7

1) Sagar Division
2) Chitaldrug Division
3) Shimoga Division.
4) Mysore
5) No 3 Sanitary Dimp. T.O
Davanagere.

7069/M1 Will dated 21.10.57

Memo No. PWI. 705 2 dt 25-10-57.

Returned to the Accountant General for retransmission after noting the omissions in respect of which the Schedules of Rates are not received.

K.I. Meenakshi
21.10.57
for Secretary to Govt.
P.W.D.

ACCOUNTANT GENERAL
19/10/57

W. A. D. III
No. PR 2650
Date 28/X

MYSORE GOVERNMENT SECRETARIAT
NO.
14 NOV 1957
PUBLIC WORKS MAJOR IRRIGATION BRANCH

220 | Corg | WDD3.

Retransmitted after noting the omissions in respect of which the Schedule of Rates are not received.

N. Ramdas
Assistant Accountant
General
Bangalore.

To the Secretary to Government
Public Works Department
Bangalore

MYSORE GOVERNMENT SECRETARIAT
NO.
13 NOV 19
PUBLIC WORKS MAJOR IRRIGATION

MYSORE GOVERNMENT SECRETARIAT
NO. MU
12 NOV 1957
PUBLIC WORKS BRANCH

5

Office of the Chief Engineer (General)
of Mysore, Bangalore.
9 11-11-57.

No 24044-6/SP.

PUBLIC WORKS BRANCH
11 NOV 1957

NO. 7238
13 NOV 1957
419
PUBLIC WORKS MAJOR IRRIGATION BRANCH

To

The Secretary to Government,
Public Works Department,
Bangalore.

Sir,

Sub:- Schedule of Rates of 1957-58.

With reference to your letter No.PWMI-7346-48 dated 31-10-1957, on the above subject, I write to state that the Schedule of Rates of all the divisions of the erstwhile Mysore State have been approved except for the Vidhana Soudha Division. The Executive Engineer, Vidhana Soudha, has been reminded again to submit the Schedule of Rates immediately. Copies of the approved Schedule of Rates are being sent to Government and to the Accountant General on receipt from the Executive Engineers and after necessary verification in this office with the original.

In the case of the Bombay Karnatak and the Hyderabad Karnatak areas, as well as the South Kanara Circle, the Superintending Engineers accord approval to the Schedule of Rates of the Divisions in their respective Circles (in accordance with the Rules prevalent there) and copies of the Schedules of Divisions in those areas might have already been sent to Govt, by them.

Yours faithfully,

K Padmanabha Rao 9.11.57
for Chief Engineer(General).

SRS/9/11/57.

M.I.Sec) 12/11
12/11/57

Appendix F. G.—1]

SUBJECT Schedule of Rate for 1957-58

Ref:- Your letter No 220/CM/G/WAD3 dated 8.11-1957

Diary No. of letter replied to .....

Section

File No.

Serial No.

Mysore Government Secretariat.

( )

the 195 .

No. PWD 9-8617-18. Dt 11/12/57

To

The A.G.

Bangalore

Date of issue.....

Signed by.....

Sir

With reference to the above I am directed to state that the schedule of rate for 1957-58 of all the Divisions of the erstwhile Mysore state are ~~already~~ stated to have been approved by C.E. (~~W~~), except for Vidhana Soudha Division, and that copies of the approved schedule are being sent to you on receipt from the EEs. and after necessary verification ~~thereof~~ by CE. with the original

List of enclosures .....

Copied by.....

Examined by .....

WD-05447-GPB—P.Z.S.—90,000-27-9-56.

He has however been reminded and directed to forward the copies of fair schedule of rates referred to in your letter under reference with out further delay.

Y/F

for Secy to Govt
P.W.D.
3.12.57

Copy of the above together with a copy of A.G's letter is forwarded to the C.E. (E) for information and immediate needful.

Issued
NP
11/12/57

for Secy to Govt
P.W.D
3.12.57

Sms
3/12/57

Issued
NP
11/12/57

N. C. Kanjakshakumar, B.E.,
Executive Engineer,
3, Sanitary Division,
DAVANGERE.

3571/SP 21/12/57

9

MYSORE GOVERNMENT SECRETARIAT
NO. [illegible]
29 NOV 1957
PUBLIC WORKS BRANCH

Dated 28/11/57

D. O. No.

Dear K. Padmanabhan,

Reg: Sanitary Schedule of Rates for 1957-58

In continuation of this office No.318 dated 26-11-57 on the above subject, I write to submit herewith second set four neat copies of approved Schedule of rates as per instructions contained in Chief Engineer's letter No.21374-80/SP. dated 16-9-57. The schedule approved/of rates received in your No.21374-80/SP. dated 16-9-57 is also herewith resubmitted for attesting the correctness and made in the approved schedule rate book and the same may kindly be forwarded for reference in this office. This has been obtained during the inspection of the Financial Assistant to Chief Engineer (Audit). With regards,

28/11/57

Yours sincerely,

(sd)

To

Sri.K. Padmanabhan, B.E.,
Deputy Chief Engineer,
Statistics, Planning and designes,
Bangalore.

KRP/27-11.

MYSORE GOVERNMENT SECRETARIAT
NO. 9839/S.P.
3 - DEC 1957
480
PUBLIC WORKS, GENERAL IRRIGATION BRANCH

Memo No. /38-40 Dated:- 28-11-57

Advance copy submitted to Secretary, Public Works Department, Bangalore for kind information.

Copy submitted to the Superintending Engineer, Sanitary Circle, Bangalore for kind information.

N.C Kanjakshakumar
28/11
Executive Engineer,
No.3 Sanitary Division,
Davangere.

KRP/27-11.

Submitted G.I. 2.12.57

For perusal before U/S filed as requested by the Professional

BLS 5.12.57

For M.R. 5/12/57

G.I. 2/12 may be filed 5/12/57

Mayne referred to Draftsman 4/12

Draftsman 5/12/57

No.
Encls.

Office of the Chief Engineer,
Major Irrigation—South,
BANGALORE.

Dated December, 1957.

To

The Accountant General,

Mysore, Bangalore.

Sir,

Reg:- Sanction of Schedule of Rates for the year 1957-58 pertaining to Tunga Anicut Works.

....

With reference to your letter No. 395-98/TA/W 5 dated 9/12-11-1957, I write to State that the above Schedule of Rates is approved and forwarded to all the officers concerned. A copy is also forwarded to your office for information vide this office No. 12317-21 dated 6-12-1957.

Yours faithfully,

Sd/-

(M.V.T. Iyengar),
for Chief Engineer,
Major Irrigation - South.

H.J: 11-12:

Memo No. 12741-3 12/12/57

1. Copy of the above is forwarded to the Secretary, Public Works Department, Bangalore.

2. Copy to the Range officer Tunga Anicut Range for information with reference to Superintending Engineer, this office memo No. 966 dated 7-11-1957.

for Chief Engineer. M.I.(S)

Appendix F. G.—1]

SUBJECT Schedule of Rate of 1957-58.

No. of letter replied to .....

Mysore Government Secretariat.

( )

the 195 .

Date of issue.....

Signed .....

List of enclosures .....

Copied by.....

Examined by .....

Section

File No.

Serial No.

No. PWD I 206-11 3 25/8.1.58

To

i) The SE. Belgaum Circle, Belgaum

ii) The SE. Raichur Circle, Gerneral

iii) The SE. Thungabhadra Projects Circle, Munirabad

iv) The SE. Karnata Nirigatan Circle, Dharwar.

v) The SE. Mercara Circle, Merkara.

Sir,

I am directed to state that according to para 418 of M.P.W. Account Code, the Sch. rate for each year should be submitted for approval before end of January and approved well in advance before the commencement of the year in which it has to be adopted.

I am to request you to intimate whether the Sch. of rates in each of the works in your Circle relating to the current year (1957-58) have been approved. If so, all copies of approved schedule may kindly be sent to T.O. for reference.

Y/F

for Secy to Govt P.W.D.
4/1/58

Issued

Copy to C.E. (Y/C) for reference w.r.t his letter No 2404-6/SP dated 11-11-1957.

for Secy to Govt P.W.D.
4.1.58

Issued

Appendix F. G.—1]

SUBJECT Schedule of Rate of 1957-58.

iary No. of letter replied to .....

Section

File No.

Serial No.

Mysore Government Secretariat.

( )

the 195 .

No. PWH 212 ~~8043~~ 5/8/11/58

To

The CE. HD (North)

Munirabad

Date of issue.....

Signed by.....

Sir

I am directed to invite your reference to T.O. letter No. P.W. HD 7346-48 dated 31-10-57 regarding the above subject and to request you an early compliance in the matter.

for Secy to Govt P.W.D.

4/8

List of enclosures Nil

Copied by.....

Examined by .....

WD-0544-GPB—P.Z.S.— 50,000-27-9-56.

1) 16

No. R-56

Office of the Superintending Engineer,
Karnatak Irrigation Circle,
Dharwar, 13 JAN 1958

To

The Secretary to Government,
Public Works Department,
Bangalore.

MYSORE GOVERNMENT SECRETARIAT
NO. 111
16 JAN 1958
PUBLIC WORKS BRANCH

Sub:- Schedule of Rates for 1957-58.

Ref:- Your No. PWMI 206-11, dated the 8th January 1958.

Schedule of Rates of all Divisions under this Circle are already sanctioned for the year 1957-58 and the Executive Engineers are being requested to forward one copy of the Schedule of Rates to the P.W.D.Secretariat directly.

MYSORE GOVERNMENT SECRETARIAT
NO. 502
17 JAN
29
PUBLIC WORKS MAJOR IRRIGATION BRANCH

for Superintending Engineer, K.I.C.

13.1.

13/1/58

19

OFFICE OF THE SUPERINTENDING ENGINEER, P.W.D.,
Tungabhadra Project Reservoir Circle,
Munirabad.

No.Ts/3992-1 Dated...14.1.58

To

The Secretary to Government,
Public Works Department,
Bangalore.

Subject:- Schedule of rates for 1957-1958.

Reference:- Your Letter No.206-11 Dated 8-1-1958.

....

The procedure laid down by the erstwhile Government of Hyderabad was to call a meeting of all the Chief Engineers, obtain from them the percentage enhancement over the standard District Schedule of rates required to be sanctioned and communicate sanction to the same for implementation by the Departmental officers. The basic schedule of rates for each district as originally sanctioned in 1341 Fasli was maintained and only the percentage of enhancement sanctioned. From the year, 1956-57, the Government had sanctioned the enhancement as per enclosed statement. Since as per standing orders of Government the procedure obtaining in erstwhile Government of Hyderabad is to continue until uniform xxxxx rules are passed, the sanctioned rates for 56-57 have been continued for 57-58 also.

Action is already taken to get the schedule of rates from the divisions. This practice being a departure from the old, the initial compilation of the required information is taking some time. Nevertheless all efforts are being taken to speed up this work and it is expected that a comprehensive schedule of rates with detailed analysis will be got ready in the specified form by the end of February, and forwarded to the Chief Engineer shortly thereafter.

Enclo one Statement

18.1.58

SUPERINTENDING ENGINEER, P.W.D.,
18.1.58 Tungabhadra Project Reservoir Circle.

Copy to the Chief Engineer, P.W.D., Major Irrigation (North) Munirabad with a copy of Secretary's letter under reference for information.

....

Particulars.	Excess ceiling percentage over D.S.R. for Raichur District.
1. Other items.	145%
2. Masonry, blasting, buildings original and maintenance.	170%
3. Consolidation and picking without hire charges of Rollers.	225%
4. Metal and soling collection.	120%
5. Lead beyond 2 miles and Head load lead limited to ~~km~~ less than 1 furlong.	200%
6. Revetment.	200%
7. Earthwork items.	
(a) 106 to 109, 124 & 126 and D.S.R.	200%
8. Other items and earthwork.	150%

Appendix F. G.—1]

SUBJECT Schedule of Rate for 1957-58.

Diary No. of letter replied to .....

Mysore Government Secretariat.

( )

the *195* .

Date of issue.....

Signed by.....

List of enclosures .....

Copied by.....

Examined by .....

Section

File No.

Serial No.

No. PWM9-1462 Dt-4.2-5-8

To

The SE., P.W.D.
Tungabhadra Project Reservoir
Circle, Munirabad

Sir,

With ref. to your letter No Ts/3992 dated 18-1-58 regarding the above subject I am directed to request you to send a copy of the basic schedule of rate of the District as originally sanctioned in 1341 Faslee, for reference in T.O.

Y/1=

29.1.58
for Secy to GOI P.W.D.

Sms 28/1/58

Appendix F. G.—1]

SUBJECT Schedule of 1957-58

Diary No. of letter replied to .....

Mysore Government Secretariat.

( )

the *195*

Date of issue.....

Signed by.....

List of enclosures .....

Copied by.....

Examined by .....

Section

File No.

Serial No.

No. PWM-37 S-1 dt 9-4-58

To

The SE. PWD.
T. B. P. Reservoir Circle
Munirabad

Sir,

I am directed to invite your reference to the Communication ending with this office letter No PW. II D. 1482 dated 4-2-58 regarding the above subject and to request you to send a copy of the basic schedule of rates of the District as originally sanctioned in 1341 Fasli, for reference in T.O.

Y/F

Sd/- 7-4-58

for Secy to Govt.
PWD

6/4/58

WD-0544-GPB—P.Z.S.— 50,000-27-9-56.

M. G. S. App. F. G. 3]

MYSORE GOVERNMENT

SECRETARIAT.

(*Continuation sheet draft form*).

Subject:— Schedule of rates of 1957-58

Ref:— (1) T.O. letter No P.W.H.9. 1482 dated 4-2-1958

(2) T.O. letter No PW.H.9. 3751 dated 9-4-58

To

The S.E. P.W.D.
T.B.P. Reservoir Circle
Hunsinabad

Sir,

I am directed to invite your reference to the communication cited above and to request you kindly to send a copy of the basic schedule of rates of the District as originally sanctioned in 1841 Fasli, for reference in T.O.

Yours faithfully,

for Secy. to Govt.
P.W.D.
28/4/58

Issued
HH/3014

WD 0258—GPB—PZS-1,20,000—1-7-55.

MYSORE GOVERNMENT SECRETARIAT
NO. 411
3 - MAY 1958
PUBLIC WORKS CHANCERY

Office of the Superintending Engineer, P.W.D
T.B.P.Reservoir Circle,
Munirabad.

No.TS/ 600/1 D/ 30—4—1958

one Book of Schedule of rates—3 pages - 31 Hyd: Govt.

To

273

The Secretary to Govt.
P.W.D., Mysore, Bangalore.

MYSORE GOVERNMENT SECRETARIAT
NO. 3966
- 5 MAY 1958
PUBLIC WORKS MAJOR IRRIGATION BRANCH

Subject:- Schedule of rates.

Ref:- Your letter No. 3751 dated 9-4-1958

As desired by you I am herein enclosing a copy of schedule of rates as approved by the erstwhile Government of Hyderabad in 1341 Fasli.

Encl
(one Book)
P—31 Pages
of Hyd schedule of B&S&W.
approved by Govt of Hyd
in 1341 fasli.

30.4.58
Superintending Engineer, P.W.D.
T.B.P. Reservoir Circle.

App. F. IX—4 195 . File No.

Previous References. Serial Nos.

Later References.

MYSORE GOVERNMENT SECRETARIAT

Serial Nos.

Part B for

SUBJECT

HYDERABAD SCHEDULE OF RATES — 1341 FASLI

1956-57

1957-58

WD 0142—GPB—50,000—10-6-57

HYDERABAD

SCHEDULE OF RATES.

Approved by Govt of Hyderabad
1341 Fasli
File no.
W P 620-B

PROCEEDINGS OF THE GOVERNMENT OF MYSORE.

R e a d-

Correspondence ending with letter No.1421/TS dated 11-2-58 from the Chief Engineer, Major Irrigation (North) stating that the original District Schedule rate was prepared in 1932 on the basis of the breakup in regard to quantities of materials required and strength of labour skilled and unskilled for completing each item and that the Government of former Hyderabad State have subsequently conveyed approval to the payment of enhanced percentage basis year after year and that it would take some time to complete the preparation of revised schedule of rates for individual items to switch over to the new system in the Mysore State and requesting in the circumstances explained approval of Government for the enhanced ceiling percentage for 1957-58 as per the annexed statement.

Order No. PWD 149 IRI 57
Bangalore, dated 5th May 1958.

The enhanced ceiling percentage for 1957-58 as per the annexed statement, is approved subject to the condition that detailed schedule of rates (item war) should be got up for the Current Year 1958-59.

By order and in the name of
the Governor of Mysore,

(K.B.Murarappa)
Under Secretary to Government,
Public Works Department.

To

The Chief Engineer, Major Irrigation (North) Munirabad.

The Accountant General, Mysore, Bangalore (through Finance Dept)

ANNEXURE to G.O.No.

Statement showing the enhanced percentage on works over the Sanctioned ceiling percentage.

S.L.No.	Particulars.	Sanctioned ceiling percentage for 1956-57.	Proposed ceiling percentage for 1957-58.
1	2	3	4
1.	Other items.	145%	160%
2.	Masonry, Blasting Buildings original and maintenance.	170%	190%
3.	Consolidation and picking (without hire charges of Roller).	225%	250%
4.	Collection of metal and soling.	120%	140%
5.	Lead beyond 2 miles and head load lead limited to 1 Furlong	200%	225%
6.	Revetment.	200%	225%
7.	Earthwork:		
	a) 106 to 109, 124 to 126 of D.S.R.	200%	225%
	b) Other items of earthwork.	150	170%

for Secretary to Government,
Public Works Department.

No TS/600/1 dated 30-4-38
from SE. TBP. Reservoir circle
Hanamkonda

PUBLIC WORKS DEPARTMENT.
SCHEDULE OF RATES.
(Approved By Govt. of Hyderabad 1341 Fasli.)

Item Number.	Particulars of items.	Per Unit Of	Hyderabad	Warangal Circle.								
				Warangal Division.			Nalgonda	Kareemnagar Dn.		Adilabad Division.		
				Warangal and Khammam Talugs.	Madera, Palwancha, Pakhal & Mahubabad Tlqs.	Mulug & Yellandu Talugs.		Kareemnagar, Parkal, Jambikunta, Jactial, Sirsilla & Siultanabad Talugs	Mahadevpoor Taluq.	Nirmal Taluq.	Adilabad, Chinnoor and Rajura Talugs.	Asifabad, Kinwat, Boath, Utnoor, Sirpoor & and Laxettipet Talugs.
1	2	3	4	5	6	7	8	9	10	11	12	13
	N.B. For buildings beyond 15 miles from Rly Station or Hd.Qrs.noted above add 5 percent extra above these rates except for Hyd.Dist.											
1.	Excavating foundation soft soil up to 10 ft.	cft %0	8/-	8/-	8/-	8/-	8/-	8/-	8/-	9/-	9/8	10/-
2.	-do-hard soil do.	"	10/-	10/-	10/-	10/-	10/-	10/-	10/-	11/-	11/8	12/-
	Concrete.											
3.	Broken hard stone granite or trap 1½" gauge in lime mortar.	%	23/8	21/-	22/-	22/8	21/-	21/-	22/-	22/-	23/-	24/-
4.	-do- in surki mortar.	"	24/8	23/-	23/8	24/-	23/-	23/-	24/-	24/-	25/-	25/8
5.	-do- in cement	"	add cost of 12½ cft of cement to the rate of concrete lime mortar.									
6.	-do- quartz in lime mortar.	"										
	Brick work in superstructure upto 16 ft. height.											
1)	Add Rs.2/- extra for every additional 16 ft. height.											
2)	Initial lead for materials (bricks & lime) is 2 miles.											
3)	Add 0-8-0 extra for every additional half a mile & Re.1/- for Bhir Dist.											
7.	Ground moulded burnt bricks in mud.	%	19/-	17/-	17/12	18/2	17/-	17/-	17/4	22/-	23/-	24/8
8.	-do- in lime mortar 18" thickness.	"	27/12	25/-	26/4	26/12	25/-	25/-	26/4	30/-	31/-	34/-
	a) -do- 13½" -do-	"	30/-	-	-	-	-	-	-	-	-	-
	b) -do- 9" -do-	"	31/-	-	-	-	-	-	-	-	-	-
	c) -do- 4½" -do-	"	32/8	-	-	-	-	-	-	-	-	-
9.	-do- in surkhi mortar.	"	28/12	26/-	27/4	27/12	26/-	26/-	27/4	31/8	32/8	35/8

	Medak Circle.					Aurangabad Circle.								
			Mahboobnagar Dn.			Nanded & Parbhani Dvns.								
Nizamabad.	Medak.	Gulbarga.	Mahboobnagar, Kalwakurthi Muktal & open tracts of Nagarkarnool & Purgy Tqs.	Amrabad, Jungle tracts of Nagarkarnool & Purgy Tqs.	Raichur.	Aurangabad.	Parbhani Sailu Wanded Town and 10 miles around each town.	Parbhani, Basmath & Palam.	Jintoor Pathri Degloor & Hingoli & Kalamoory Taluqs.	Bidar Dist, except 3 Talugs in column 25.	Nilanga, Udgir & Ahmedpoor Taluqs.	Bhir.	Osmanabad.	Remarks.
14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
8/-	8/-	9/-	8/-	8/-	9/-	9/-	9/-	8/8	8/8	9/-	9/-	9/-	9/-	
10/-	10/-	11/-	10/-	10/-	11/-	11/-	12/-	11/8	11/8	11/8	11/-	11/-	11/-	
21/-	21/-	21/-	21/-	22/-	23/-	22/-	30/-	28/-	28/-	21/-	22/-	27/-	22/-	
24/-	23/-	23/8 24/- yadgir	23/-	23/8 Udgir	24/8	23/-	31/-	29/-	29/-	22/-	23/8	28/-	23/8	

4) Rajpura Taluq add 1-8 % extra for every additional mile.
5) Adilabad & Asifabad Dvn. add 1/12/- % every additional mile.
6) Lead forwater for masonry is 1-8-0 % for any distance beyond 1/2 mile for adilabad and Asifabad Division.

17/-	17/-	19/-	17/-	17/8	28/-	25/-	36/-	32/-	31/-	19/8	27/-	26/-	27/-	
25/-	25/-	27/-	25/-	36/4	37/-	34/-	46/-	42/-	41/-	27/8	36/-	40/-	36/-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26/-	26/-	28/-	26/-	27/4	28/-	35/-	-	-	-	28/8	37/8	-	37/-	

1	2	3	4	5	6	7	8	9	10	11	12	13
10.	Arch work in lime mortar flatt circular or segmental over lintels.	Cft.										
		~~do.~~	~~33/=~~	~~31/=~~	~~32/8~~	~~33/4~~	~~31/=~~	~~31/=~~	~~32/8~~	~~36/=~~	~~37/=~~	~~40/-~~
	(a) do. do. without lintels including centrings 75% over superstructure excepting for Nander and Parbhani Dists.	do.	33/-	31/-	32/8	33/4	31/-	31/-	32/8	36/-	37/-	40/-
		do.	~~47/4~~	~~43/12~~	~~46/-~~	~~46/12~~	~~43/12~~	~~43/12~~	~~46/-~~	~~52/8~~	~~54/4~~	~~59/3~~

STONE WORK

1) Initial lead 2 miles for stones and lime.

2) Add 0-8-0 extra for every additional half mile and Re.1/- for Bhir Dist.

11.	Foundation uncoursed rubble in mud.	Cft.										
		do.	14/-	14/-	14/8	14/12	14/-	14/-	14/8	16/-	17/-	18/-
12.	Foundations UCR in lime mortar	do.	21/-	21/-	22/-	22/8	21/	21/-	22/-	24/-	25/-	26/-
13.	do. do. in surki mortar	do.	22/-	22/-	23/-	23/8	22/-	22/-	23/-	25/8	26/8	27/8
14.	Foundation Cr in mud.	do.	20/-	19/-	20/-	20/8	19/-	19/-	20/-	22/-	23/-	24/-
15.	do. Lime mortar 24" thick.	do.	29/-	25/-	26/4	26/12	25/-	25/-	26/4	29/-	30/-	31/-
16.	do. Surki mortar	do.	30/-	27/-	28/-	28/8	27/-	27/-	28/-	30/8	31/8	32/6
17.	do. coursed [illegible] in mud.	do.	-	-	-	-	-	-	-	-	-	-
18.	do. Lime mortar.	do.	-	-	-	-	-	-	-	-	-	-
19.	do. surki mortar	do.	-	-	-	-	-	-	-	-	-	-
20.	Laterite in lime mortar.	do.	-	-	-	-	-	-	-	-	-	-
21.	Basement UCR in mud.	do.	16/-	15/8	16/8	16/10	15/8	15/8	16/4	18/-	19/-	20/-
22.	do. lime mortar.	do.	22/-	21/8	22/8	23/-	21/8	21/8	22/8	26/-	27/-	28/-
23.	do. surki mortar.	do.	23/-	22/8	23/8	24/-	22/8	22/8	23/8	27/8	28/8	29/-

14	15	16	17	18	19	20	21	22	23	24	25	26	27
31/-	31/-	33/-	31/-	32/8	43/-	40/-	51/-	49/-	47/	33/8	42/-	48/-	42/
43/12	43/12	47/4	43/12	46/-	64/12	59/-8	75/-	70/-	70/-	48/4	63/-	70/-	63/-

3) add 2/8/- extra for every additional mile for Kadure Taluq.
4) add 2/12/- .do. for Adilabad & Asifabad Divisions.
5) Lead for water for mesonry is 1/8/- for any distance beyond 1/2 mile for Adilabad and Asifabad Divisions.

14/-	14/-	14/8	14/-	14/8	16/-	15/-	21/-	19/-	18/-	14/8	16/-	16/-	16/-
21/-	21/-	21/8	21/-	22/-	24/-	22/8	36/-	34/-	32/-	21/8	23/8	30/-	23/8
22/-	22/-	22/8	22/-	23/-	25/8	24/-	-	-	-	22/8	25/-	31/-	25/-
19/-	19/-	19/-	19/-	20/-	24/-	23/-	28/-	26/-	25/-	19/-	24/-	23/-	24/-
25/-	25/-	25/-	25/-	26/4	31/-	30/-	42/-	39/-	38/-	25/-	31/-	35/-	31/-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
27/8	27/8	28/- 27/8 Jadgir	27/-	27/8	32/8	31/8	-	-	-	26/-	32/8	36/-	32/8
-	-	21/-	-	-	-	-	-	-	-	-	-	-	-
-	-	29/-	-	-	-	-	-	-	-	-	-	-	-
-	-	30/-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	20/-	-	-	-
15/8	15/8	16/-	15/8	16/4	18/-	18/-	-	-	-	16/-	18/-	18/-	18/-
21/8	21/8	22/8	21/8	22/8	25/-	25/-	-	-	-	22/8	25/-	25/-	25/-
22/8	22/8	23/8	22/8	23/8	26/8	26/8	-	-	-	23/8	26/8	26/8	26/8

1	2	3	4	5	6	7	8	9	10	11	12	13
24.	Basement S.Rubble in mud.	Cft.	21/8	21/-	22/-	22/8	21/-	21/-	22/-	24/-	25/-	28/-
25.	do. Lime mortar 24" thick	do.	30/-	27/-	28/4	28/12	27/-	27/-	28/4	31/-	32/-	36/-
26.	do. Surki Mortar	do.	31/-	28/-	29/6	30/-	28/-	28/-	29/6	32/8	33/8	37/8
	a) do. lime mortar for pillars 2'x2'	do.	36/-	-	-	-	-	-	-	-	-	-
27.	do. coursed trap in mud.	do.	-	-	-	-	-	-	-	-	-	-
28.	do. Lime Mortar	do.	-	-	-	-	-	-	-	-	-	-
29.	do. Surki mortar	do.	-	-	-	-	-	-	-	-	-	-
30.	Laterite in lime mortar.	do.	-	-	-	-	-	-	-	-	-	-
	Stone work in superstructure upto 16 ft. height.											
	1) Add Rs. 2/- extra for every additional 16 ft. height.											
31.	Superstructure UCR in mud	Cft.	19/-	18/8	19/-	19/4	18/8	18/8	19/-	22/-	23/-	24/-
32.	Superstructure UCR in lime mortar.	do.	25/-	24/8	25/8	26/-	24/8	24/8	25/8	30/-	31/-	32/-
33.	do. surki mortar	do.	26/-	25/8	26/8	27/-	25/8	25/8	26/8	31/8	32/-	33/8
34.	do. CR. in mud.	do.	24/-	23/8	24/8	25/-	23/8	23/8	24/8	28/-	29/-	32/-
35.	do. lime mortar above 18"thickness.	do.	30/-	29/8	31/-	31/12	29/8	29/8	31/-	35/-	36/-	40/-
	a) do.18 " thick for pillars.	do.	34/-	-	-	-	-	-	-	-	-	-
	b) do. 18"x18"	do.	47/8	-	-	-	-	-	-	-	-	-
36.	do. surki mortar above 18"	do.	32/-	32/-	32/8	33/-	32/-	32/-	33/-	36/8	37/8	41/-
37.	Superstructure coursed trap in mud,	do.	-	-	-	-	-	-	-	-	-	-
38.	do. in lime mortar.	do.	-	-	-	-	-	-	-	-	-	-
39.	do. surki mortardo		-	-	-	-	-	-	-	-	-	-
40.	Laterite in lime mortar.	do.	-	-	-	-	-	-	-	-	-	-

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
21/-	21/-	21/8	21/-	22/-	25/8	25/-	30/-	28/-	27/-	21/8	27/-	25/-	27/-	
27/-	27/-	28/-	27/-	28/4	33/-	34/-	46/-	41/-	40/-	28/-	36/-	40/-	36/-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28/-	28/-	29/-	28/-	29/-	34/8	35/8	-	-	-	29/-	37/8	-	37/8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	23/-	-	-	-	-	-	-	-	-	-	-	-	
-	-	31/-	-	-	-	-	-	-	-	-	-	-	-	
-	-	32/-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	25/-	-	-	-	
18/8	18/8	19/8	18/8	19/-	22/-	22/-	-	-	-	19/8	22/-	22/-	22/-	
24/8	24/8	26/-	24/8	25/8	29/-	29/-	42/-	39/-	38/-	26/-	29/-	29/-	29/-	
25/8	25/8	27/-	25/8	26/8	30/8	30/8	43/-	40/-	39/-	27/-	30/8	30/8	30/-	
23/8	23/8	24/-	23/8	24/8	28/-	28/-	36/-	34/-	33/-	24/-	30/-	28/-	30/-	
29/8	29/8	30/-	29/8	31/-	36/-	37/-	50/-	47/-	46/-	30/-	39/-	43/8	39/-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32/8	32/-	33/- 32/8 Yadgir	32/-	32/8	37/8	38/8	51/-	48/-	47/-	31/-	40/8	45/-	40/8	
-	-	27/-	-	-	-	-	-	-	-	-	-	-	-	
-	-	35/-	-		-	-	-	-	-	-	-	-	-	
-	-	36/-	-	-	-	-	-	-	-	-	-	-	-	

1	2	3	4	5	6	7	8	9	10	11	12	13
41.	Granite stone face work twice dressed stone, about 10" in height.	Cft.										
			₹	125/-	125/-	130/-	137/8	125/-	125/	130/-	135/-	140/-	145/-
	Stone skill work. (flat circular or segmental) including centring for span upto 10 ft.											
	(1) C.R.S.arching should be used upto 20' span. For rates of spans 10 to 20 ft. add extra 1/4 cost.											
	(2) For rates of item 45 to 48 used in spans between 10 to 20 ft. add 1/4 cost of arch work for centrings; for spans above 20' add 1/3rd cost of arch work extra.											
42.	Coursed rubble arching in lime mortar for culverts upto 5 ft.span & buildings over lintels (60% over superstructure rate)	do.	48/-	47/4	49/12	50/12	47/4	47/4	49/12	56/-	57/12	64/-
43.	do. 6 to 10 spans for culverts & including centrings & without lintels in buildings(75% over superstructure rate)	do.	52/8	51/12	54/4	55/8	51/12	51/12	54/4	61/4	63/-	70/-
44.	do. trap arching upto 10 ft.	do.	-	-	-	-	-	-	-	-	-	-
	(a) do.10-15 spans"		-	-	-	-	-	-	-	--	-	-
45.	Arch work block in course in lime mortar upto 10 ft. span.	do.	75/-	75/-	78/12	80/-	75/-	75/-	78/12	90/-	95/-	100/
46.	do. in trap	do.	-	-	-	-	-	-	-	-	-	-
47.	Arch work granite stone squared & once dressed or ashlar in lime mortar.	do.	110/-	110/-	115/-	117/8	110/-	110/-	115/-	115/-	120/-	125/-
48.	do. twice dressed in lime mortar.	do.	[illegible]	[illegible]	[illegible]	157/8	160/-	150/-	150/-	157/8	155	160/- 165/-
	Coping & covering stones, etc.											
49.	Granite stone squared for parapet coping in lime mortar.	do.	100/	[illegible]	-105/-	107/8	100/-	100/-	105/-	110/-	115/	120/-

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
125/-	125/-	125/-	125/-	130/-	130/-	135/-	-	-	-	130/-	-	135/-	135/-	
47/4	47/4	48/-	47/4	49/12	57/12	59/4	65/-	60/6	60/-	48/-	62/8	69/12	62/8	
51/12	51/12	52/8	51/12	54/4	63/-	64/12	75/-	70/-	70/-	52/8	68/4	76/4	-	
-	-	52/-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	85/-	80/-	80/-	-	-	-	-	
75/-	75/-	75/-	75/-	78/12	90/-	95/-	105/-	100/-	100/-	75/-	100/-	95/-	100/-	
-	-	90/-	-	-	-	-	-	-	-	-	-	-	-	
110/-	110/-	115/-	110/-	115/-	115/-	-	-	-	-	-	-	-	-	
150/-	150/-	115/-	150/-	157/8	155/-	-	-	-	-	-	-	-	-	
100/-	100/-	105/-	100/-	105/-	105/-	-	-	-	-	-	-	-	-	

1.	2	3	4	5	6	7	8	9	10	1112	13
50.	Coping stones 12" thick dressed in lime mortar.	cft %	125/-	125/-	130/-	133/-	125/-	125/-	130/-	135/-	135/- 140/
51.	ddo. 9" thick do for templates under beams and joists	.do.	.do.	100/-	100/-	105/-	107/8	100/-	100/-	105/-	110/- 110/- 115/
52.	do. Once dressed in lime mortar.	do.	60/-	80/-	86/-	86/-	80/-	80/-	84/-	85/-	85/- 90/-
53.	Lintels over doors & windows dressed in lime mortar	do.	85/-	85/-	85/-	85/-	85/-	85/-	85/-	85/-	85/- 90/-
54.	9" thick covering stones hammer dressed in lime mortar	do.	55/-	55/-	57/8	58/12	55/-	55/-	57/8	70/-	70/- 75/-
	Plastering.										
55.	Plastering brick work with chunam 1 coat 1/2" thick	Sft. %	3/4	3/4	3/6	3/8	3/4	3/4	3/6	3/12	4/- 4/4
56.	do. 2 coats 3/4" thick.	do.	4/12	4/12	5/-	5/-	4/12	4/12	5/-	5/8	5/12 6/-
57.	do. 3 coats 1" thick.	do.	6/-	6/-	6/4	6/4	6/-	6/-	6/4	7/-	7/4 7/8
58.	do. with surki mortar 1 coat.	do.	4/4	4/4	4/4	4/4	4/-	4/-	4/4	4/4	4/8 4/12
59.	Plastering brick work with surki mortar 2 coats	do.	5/-	5/-	5/4	5/4	5/-	5/-	5/4	5/4	5/8 5/12
60.	Plastering stone walls.	do.	add 1-8-0 to the items (55 to 59)								
61.	Plastering brick work with cement 1/2" thick.	do	11/8	11/8	12/-	12/4	11/8	11/8	12/-	11/12	12/- 12/8
62.	do. 3/4" thick	do.	[illegible]	[illegible]	[illegible]	17/12	18/-	17/-	17/-	17/12	17/4 17/12 18/4
	Pointing Stone										
63.	Pointing with lime flat joints	do.	2/8	2/8	2/10	2/12	2/8	2/8	2/10	2/12	3/- 3/4
64.	Pointing with surkii.	do.	3/-	3/	3/4	3/4	3/-	3/4	3/4	3/8	3/8 3/12
65.	do. with cement	do.	6/-	6/-	6/4	6/4	6/-	6/4	6/8	6/4	6/8 6/12

14	15	16	17	18	19	20	21	22	23	24	25	27	28
125/-	125/-	130/-	125/-	130/-	130/-	130/-	-	-	-	130/-	135/-	135/-	135/-
100/-	100/-	105/-	100/-	105/-	105/-	105/-	110/-	107/-	105/-	105/-	110/-	105/-	110/-
80/-	80/-	85/-	80/-	84/-	85/-	85/-	-	-	-	85/-	85/-	85/-	85/-
85/-	85/-	85/-	85/-	85/-	85/-	85/-	95/-	92/-	90/-	85/-	-	100/-	85/-
55/-	55/-	60/-	55/-	57/8	70/-	70/-	75/-	72/-	70/-	60/-	70/-	70/-	70/-
3/4	3/4	3/8	3/4	3/6	3/12	3/12	-	-	-	3/8	3/12	3/12	3/12
4/12 -3/12-	4/12	5/-	4/12	5/-	5/8	5/8	8/4	7/12	7/12	5/-	5/8	6/8	5/8
6/-	6/-	6/8	6/-	6/4	7/-	7/-	-	-	-	6/8 7/8	7/-	-	7/-
4/-	4/-	4/4	4/-	4/4	4/4	4/4	-	-	-	4/4	-	4/4	4/4
5/-	5/-	5/4	5/-	5/4	5/4	5/4	-	-	-	5/4	-	5/4	5/4
11/-	11/-	11/-	11/-	12/-	11/-	11/8	-	-	-	11/-	-	11/-	11/-
11/-	11/8	11/8	11/8	12/-	11/8	11/8	-	-	-	11/8	-	11/8	11/12
17/8	17/-	17/-	17/-	17/12	17/-	17/-	-	-	-	17/4	3/-	17/4	17/4
2/8	2/8	3/-	2/8	2/10	3/-	3/-	3/8	3/4	3/4	3/12	3/-	3/8	3/-
3/-	3/-	3/4	3/-	3/4	3/4	3/4	-	-	-	3/4	-	3/4	3/4
6/-	6/-	5/4	6/-	6/4	6/4	6/-	-	-	-	6/4	-	6/4	6/4

1.	2	3	4	5	6	7	8	9	10	11	12	13
	White & colour washing.											
66	White washing with chunam 1 coat	Sft %	-/3	-/3	-/3/6	-/3/6	-/3	-/3	-/3/6	-/3/6	-/4	4/
67.	do. 2 coats.	do	-/4/6	-/4/6	-/5.	-/5.	-4/4/6	-/4/6	-/5/-	/-	-/5/6	-/6.
	....	do	-/6.	-/6.	-/6/-	-/6/6	-/6/-	-/6	-/10	-/6/6	-/7	-/7/6
69.	Colour washing 1 coat.	do	-/6	-/6	/6	/6	/6	/6	/6	/6	-	/6
70.	do. 2 coats.	do	-/8	-/8	/9.	/9.	-/9	-/8	/8	-/9	-/9/6	-/10.
71.	do. 3 "		/10	-/10.	-/11						1-/11/6	-/12
	Roofing.											
	Charges for Mangalore tiles to be paid in addition to these rates at 0-5-0 a mile from the nearest Railway Station.											
72.	Mangalore tiles (Basel Mission) over teak reapers	Sft. %	33/-	34/-	35/8	36/4	34/-			36/-	41/	-42/-
	Hyderabad make	do	36/8	-	-	-	-	-	-	-	-	-
73.	do.laid on flat tiles in mortar.	do.	38/-	39/-	41/-	42/-	39/-		-	41/-	42/-	47/-48/-
	a) do. Hyderabad make.	do.	43/8	-	-	-	-	-	-	-	-	-
74.	Pot or pan tiles on teak battens.	do.	16/8	16/-	16/12	17/-	16/-	16/8	17/-	18/-	19/-	20/-
75.	do. tiles.	do.	21	-	20/-	21/-	21/8	20/-	20/8	21/8	22/-	23/- 24/-
76.	Country double tile roof.	do.	-	-	-	-	-	-	-	-	-	-
77.	Madras terrace brick on edge 3" concrete 2 coats of flat tiles 3 coats of plaster including plaster to ceiling.	do.	34/-	34/-	35/8	36/4	34/-	35/-	36/8	41/-	42/-	43/-
78.	Jack arch terrace 4" concrete over crown of arch, flat tiles and plastering as above.	do	37/-	37/-	39/-	40/-	37/-		38/-	40/-	44/-	46/- 47/-
79.	Bengal terrace 3 coats of flat tiles 3" concrete & 3 coats of plastering.	do.	25/-	25/-	26/8	25/-	25/-	26/8	26/-	31/-	32/-	

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
-/3.	-/3.	-/3/6	-/3/6	-/3/6	-/3/6	-/3/6	-	-	-	-/3/6	-	-/3/6	-/3/6	-/3/6
-/4/6	-/4/6	-/5.	-/4/6	-/5.	-/5.	-/5.	-	-	-	-/5.	-	-/7.	-/5.	
-/6.	-/6.	-/6/6	-/6.	-/6.	-/6/6	-/6/6	-	-	-	-/6/6	-	-	-/6/6	
-/6	-/6.	-/6/6	-/6	-/6/6	-/6/6	-/6/6	-	-	-	-/6/6	-	-/6/6	-/6/6	
-/8.	-/8.	-/9.	-/8.	-/9.	-/9.	-/9.	-	-	-	-/9.	-	-/9.	-/9.	
-/10.	-/10.	-/11.	-/10.	-/11.	-/11.	-/11.	-	-	-	-/11.	-	-/11.	-/11.	
34/-	34/-	34/-	34/-	35/8	33/-	35/-	48/-	47/-	45/-	35/-	36/-	/-	36/-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
39/-	39/-	39/-	39/-	41/-	39/-	41/-	55/-	55/-	53/-	40/-	42/-	42/-	42/-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16/-	16/-	17/-	16/-	16/12	17/-	18/-	27/-	26/-	25/-	18/-	-	18/-	18/-	
20/-	20/-	21/-	20/-	21/-	21/-	22/-	35/-	32/-	31/-	22/-	-	33/-	22/-	
-	-	-	-	-	-	-	40/-	38/-	36/-	-	-	-	-	
34/-	34/-	34/-	34/-	35/8	41/-	39/-	58/-	56/-	55/-	37/-	47/-	40/-	41/-	
37/-	37/-	40/-	37/-	39/-	44/-	42/-	68/-	63/-	62/-	40/-	44/-	43/-	44/-	
25/-	25/-	26/-	25/-	26/-	30/-	30/-	56/-	53/-	52/-	27/-	32/-	32/-	32/-	

1.	2.	3	4	5	6	7	8	9	10	11	12	13.

80. Roofing with Shahabad stone slabs 2" thick 3" concrete 2 coats of flat tiles,3 coats of plastering with pointing to ceiling. Sft. % 33/-35/-36/8.37/4 35/-36/-37/8 37/- 37/- 38/-

Item No.80 freight from the nearest Railway Station to be extra see "flooring".

81. Roofing with Galvanised corrugated sheets 24 BWG including bolts,nuts,ridging,etc. do. According to fluctuation of market rates.

82. Thatched roofing 9" thick complete. do.11/-10/8 11/-11/4 11/-10/8 11/-11/- 12/8 12/-

83. Re-roofing with 1/4th:new flat and pot tiles. do.5/8 5/8 5/12 6/- 5/8 5/8 5/12 6/8 6/12 7/-

Flooring.

Concrete or sand under the slabs to be calculated separately,cartage at the rate of 0-5-0 per mile for 1½" slabs,and 0-6-0 per mile for 2" slabs per 100 sft. to be added from the nearest Rly.Station.

84. With 2" Shahabad stone slabs with lime pointing.do.24/825/826/8 27/-25/8 25/8 26/8 27/- 27/8 28/-

85. With 1½" -do-do.22/-22/8 23/824/-23/8 22/8 23/8 24/- 24/8 25/-

86. do. with cement pointing. do.Add Re.1/- to the above rates.

87. Shahabad stone slab flooring when laid diagonally. do. Add Rs.3/- to item 84 and 85.

88. 2" polished slabs with lime pointing. do.42/-43/- 45/- 46/- 43/- 43/- 45/- 46/- 48/- 50/-

Local stones are available around Adilabad and Rajura: Rates for these would be Rs. 16/- for 1½" and Rs. 18/- for 2".

Iron works.

Cartage from the nearest Rly Stn. 0-0-6 For Rajura at 11 pies per cwt per mile.

For Ass[illegible]

for [illegible]

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
35/-	33/-	32/-	35/-	36/8	33/-	38/-	-	-	-	34/-	-	40/-	40/-	
10/8	10/8	11/8	10/8	11/-	11/8	11/8	-	-	-	11/8	-	11/8	11/8	
5/8	5/8	6/8	5/8	5/12	6/8	6/8	-	-	-	6/8	-	6/8	6/8	
Carting local stone at Adilabad 0-7-0 for 1½" & 0-9-0 for 2" carting -do- -do- at Rajura 0-9-0 for 1½" and 0-12-0 for 2"						2" stone 0-8-0 1½" 0-7-0 per mile							for N anded and Parbhani Districts.	
26/-	25/8	22/8	25/8	26/8	24/-	27/-	26/8	26/-	26/-	25/8	27/-	29/-	27/-	
23/-	22/8	20/-	22/8	23/8	21/-	24/-	23/8	23/-	23/-	22/8	24/-	24/-	24/-	
43/-	43/-	42/-	43/-	45/-	43/-	46/-	-	-	-	43/-	-	47/-	47/-	

-	3	4	5	6	7	8	9	10	11	12	13
89 Rolled steel beams and joists	cwt	according to fluctuation of market rates.									
90 Wrought iron work.	lbs.	-do-			-do-				-do-		
Wood work - wrought and put up.											
Cartage 0-0-3 per mile per cft when necessary.											
91 Best Rangoon teak wood for beams & joists.	cft.	8/12	9/-	9/4	9/8	9/5	9/6	9/10	9/8	9/12	10/5
92 Country teakwook	do.	5/8	5/4	5/8	5/12	5/8	5/4	5/8	5/8	5/8	5/12
93 Allampally, Mysore or Godavary teak	do.	-		6/4	6/8	6/12	6/4	6/4	6/8	6/12	6/8	6/12
Doors, Windows and ventilators.											
Cartage to be allowed for carrying doors & windows where necessary at the rate of 0-4-0 per mile 100 sft. or ½ pie per mile. For Rajurat 1 pie 1 sft. per mile. For Asifabad at 9.65 pie 1 sft per mile.											
94 Rangoon teakdoors & windows with batten shutters, 1" thick including frames, hinges, etc.	Sft.	1/12	1/13	1/15	1/15	1/14	1/14	2/-	1/14	2/-	2/2
95 do. panelled @ shtters 1½" thick.	do.	2/8	2/9	2/11	2/13	2/10	2/10	2/12	2/12	2/14	3/-
96 do. pannelled & glazed.	do.	2/10	2/11	2/13	2/15	2/12	2/12	2/14	2/14	3/-	3/2
97. do glazed	do.	2/11	2/13	2/15	3/1	2/14	2/14	3/-	3/-	3/2	3/4
98. Rangoon teak doors & windows with battens etc. Venitioned.	do.	3/-	3/1	3/3	3/5	3/2	3/2	3/4	3/4	3/6	3/8
99. do. windows with iron bars.	do.	Add As 0-12-0 per sft. for 3/4" dia. bars and 0-8-0 for 1/2" dia bars.									
100. R.T. Ventilators frames with galfanized wire netting.	do.	1/8	1/8	1/10	1/12	1/8	1/10	1/12	1/10	1/12	1/14
101. do. and glazed sashes only.	do.	2/8	2/10	2/12	2/14	2/12	2/10	2/12	2/12	2/14	3/-

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28

For Rajura at 4.4 pies per mile
For Asifabad at 3.64 "

Carting (5 pies per cft. per mile)

9/-	9/-	9/2	9/-	9/4	9/2	9/2	9/4	9/4	9/4	9/8	9/8	9/8	9/4	
5/4	5/8	6/-	5/4	5/8	6/-	6/-	6/12	6/12	6/12	6/-	--	6/-	6/-	
6/8	-	6/8	6/12	7/-	6/8	6/8	-	-	-	6/12	-	6/12	6/12	

Cartage (0-6-0 per % aft. per mile)

1/13	1/13	1/14	1/13	1/15	1/14	1/14	2/4	2/4	2/4	2/-	2/-	2/12	1/14	
2/9	2/9	2/10	2/9	2/11	2/10	2/10	2/12	2/12	2/12	2/12	2/12	-	2/10	
2/11	2/11	2/12	2/11	2/13	2/12	2/12	-	-	-	2/14	2/14	3/4	2/12	
2/13	2/13	2/14	2/13	2/15	2/14	2/14	3/-	3/-	3/-	3/-	3/-	-	2/14	
3/1	3/1	3/2	3/1	3/3	3/2	3/2	-	-	-	3/4	-	3/4	3/2	
1/8	1/8	1/8	1/8	1/10	1/8	1/8	-	-	-	1/10	-	1/10	1/10	
2/10	2/10	2/10	2/10	2/12	2/10	2/10	-	-	-	2/12	-	2/12	2/12	

[illegible]	M.T. Ventilators frames with glazed sashes only.	Sft.	2/4	2/6	2/8	2/10	2/8	[illegible]	[illegible]	[illegible]	[illegible]	2/12
[illegible]	do. iron [illegible]	[illegible]	[illegible]	[illegible]	3/4	3/6	3/8	[illegible]	[illegible]	[illegible]	[illegible]	3/8
[illegible]	C.T. doors & windows with batten including frames, [illegible]	do.	1/4	1/4	1/5	1/6	1/4	1/4	1/4	1/5	1/5	1/5
[illegible]	Jungle wood	[illegible]	[illegible]	-/10-/11	[illegible]	-/10	[illegible]	[illegible]	[illegible]	-/10	-/10	

Earth work.

Initial lead 50 ft. lift 5 [illegible] ½' in cutting.

106	Excavation in dry sand or loose earth.	cft.	[illegible]	[illegible]	5/4	5/8	5/	5/-	5/4	5/8	5/12	5/12
107	do. in light black red soil or sandy loam.	do.	7/-	7/-	7/4	7/8	7/-	7/-	7/4	7/8	7/12	8/-
108	do. in loam hard cl[illegible]											
	[illegible] muram or sudda or hard clay.		8/-	8/-	8/4	8/8	8/-	8/-	8/4	8/8	8/12	8/12
110	Excavation in hard muram.	do.	10/-	10/-	10/8	10/12	10/-	10/-	10/8	10/8	10/12	10/12
111	do. in very hard muram.	do.	[illegible]	[illegible]	12/8	12/12	12/-	12/-	[illegible]	[illegible]	12/12	12/12
112	do. disintegrated rock.	[illegible]	12/-	12/-	12/8	12/12	12/-	12/-	12/8	12/8	12/12/	12/12
113	do. in earth and boulders small	do	20/-	20/-	19/-	21/8	20/-	20/-	21/-	21/-	22/-	22/8
114	Excavation in rocky muram removable by pick & crow bar.	do.	25/-	25/-	26/4	27/-	25/-	25/-	26/4	26/-	27/-	28/-
115	Excavation in rock & stacking when stones upto 1½' dia.	do.	37/-	37/-	39/-	40/-	37/-	37/-	39/-	40/-	42/-	43/-
116	Excavation in rock requiring some blasting when boulders big[illegible]	[illegible]	[illegible]	[illegible]	55/-	56/-	60/-	55/-	55/-	58/-	58/-	60/- 60/-

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
2/6	2/6	2/6	2/6	2/6	2/6	2/6	-	-	-	2/8	-	2/8	2/8	
3/2	3/2	3/2	3/2	3/2	3/2	3/2	-	-	-	3/4	-	3/4	3/4	
1/4	1/4	1/6	1/4	1/5	1/4	1/6	1/12	1/12	1/12	1/6	-	1/6	1/6	
-/8	-/10	-/10	-/10	-/11	-/10	-/12	-	-	-	-/10	-	-/12	-/12	
5/-	5/-	5/4	5/-	5/4	5/8	5/-	-	5/8	-	5/4	-	5/4	5/4	
7/-	7/-	7/4	7/-	7/4	7/8	7/4	8/-	7/8	7/8	7/4	-	7/8	7/8	
		7/8 for Shorapur, Shapur and Chincholi.												
8/-	8/-	8/4	8/-	8/4	8/8	8/4	9/-	8/8	8/8	8/4	-	8/8	8/8	
		8/8 for Shorapur, Shahpur and Chincholi												
10/-	10/-	10/4	10/-	10/8	10/8	10/4	12/-	11/8	11/8	10/4	-	10/8	10/8	
12/-	12/-	12/4	12/-	12/8	12/8	12/4	-	-	-	12/4	-	12/8	12/8	
15/-	15/-	15/4	15/-	15/12	15/8	15/4	-	-	-	15/4	-	15/8	15/8	
20/-	20/-	20/-	20/-	21/-	21/-	20/-	-	-	-	20/-	-	21/-	21/-	
25/-	25/-	25/-	25/-	26/4	26/-	26/-	-	-	-	25/-	-	26/-	26/-	
37/-	37/-	38/-	37/-	39/-	40/-	38/-	-	-	-	38/-	-	38/-	38/-	
55/-	55/-	56/-	55/-	58/-	58/-	56/-	80/-	75/-	75/-	56/-	-	58/-	58/-	

1	2	3	4	5	6	7	8	9	10	11	12	13
117	Blasting sheet rock with face	cft %o.	95.	95.	100.	102.8	95 .	95.	100.	100.	105.	110
118	do without face	do	140.	140.	147.	150.	140.	140.	147.	150.	155.	160
119	Excavating in ordinary wet soil	do	10/-	10/-	10/8	10/12	10/-	10/-	10/8	11/-	11/8	12/-
120	do below x spring level	do	20/-	20/-	21/-	21/8	20/-	20/-	21/-	22/-	23/-	24/-
121	Removing boulders small upto 1½' dia.	do	27/8	27/8	28/8	29/-	27/8	27/8	28/8	28/-	28/-	829/-
122	Blasting and removing boulders	do	55/-	55/-	58/-	60/-	55/-	55/-	58/-	56/-	57/-	58/-
123	Benching hard rock with chisel in founds.	cft %	20/-	20/-	21/-	21/8	22/-	22/-	21/-	21/-	22.	22/-
124	Removing silt & sand dry in channels	cft %	4/8	4/8	4/12	5/-	4/8	4/8	4/12	5/-	5/4	5/6
125	do sand wet & slush	do	7/4	7/4	7/8	7/12	7/4	7/4	7/8	7/12	8/-	8/4
126	do dry sand & silt in breaches or founds.	do	4/8	4/8	4/12	5/-	4/8	4/8	4/12	5/-	5/4	5/6
127	do do wet sand	do	8/-	8/-	8'8	8/12	8/-	8/-	8/8	8/12	9/2	9/4
128	Removing wet clay and slush	do	12/-	12/-	12/8	12/12	12/-	12/-	12/8	13/-	13/8	13/12
129	Extra for every additional 25ft. lead	do	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.
130	Extra for every 2½' lift.	do	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.	-/6.
131	Extra forevery additional 1' depth in ordinary soil	do	-/4	-/4	-/4	-/4	-/4	-/4	-/4	-/4	-/4	-/4
132	Extra for every additional 1' h in hard soil		-/8	-/8	-/8	-/8	-/8	-/8	-/8	-/8	-/8	-/8
133	Excavating in ordinary muram r road surfacing cluding stacking		9/-	9/-	9/8	9/12	9/-	9/-	9/8	9/8	9/12	9/12
134	Excavation in for road surfac- Includg stacking		11/-	11.0	11.8	11.12	11.0	11.0	11.8	11.8	11.12	11.112

14	15	16	17	18	19	20	21	22	23	24	25	26	27
95.	95.	100.	95.	100.	100.	100.	95.	90.	90.	100.	-	105.	105.
140.	140	145	140	147	150	145	115	110	110	145	-	150	150
10	10	10/8	10	10/8	11	10/8	-	-	-	10/8	-	11	11
20	20	21	20	21	22	21	25/8	25/-	25/-	21/-	-	22/-	22/-
27/8	27/8	28	27/8	28	28	28	-	-	-	28/-	-	28/8	28/8
55/-	55/-	56/-	55/-	58/-	56/-	56/-	-	-	-	56/-	-	57/-	67/-
20/-	22/-	21/-	20/-	21/-	22/-	21/-	27/8	27/-	27/-	21/-	-	21/-	21/-
4/8	4/8	4/12	4/8	4/12	5/-	4/8	-	-	-	4/8	-	4/12	4/12
7/4	7/4	7/8	7/4	7/8	8/-	7/8	-	-	-	7/8	-	7/12	7/12
4/8	4/8	4/12	4/8	4/12	5/-	4/8	-	-	-	4/8	-	4/12	4/12
8/-	8/-	8/6	8/-	8/8	8/12	8/-	-	-	-	8/-	-	8/6	8/6
-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-	-/6	-/6
12/-	12/-	12/8	12/-	12/8	13	12/-	-	-	-	12/-	-	12/-	12/-
-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-/6	-	-/6	-/6
-/4	-/4	-/4	-/4	-/4	-/4	-/4	-	-	-	-/6	-	-/4	-/4
-/8	-/8	-/8	-/8	-/8	-/8	-/8	-	-	-	-/8	-	-/8	-/8
9/-	9/-	9/4	9/-	9/8	9/8	9/4	-	-	-	9/4	-	9/8	9/8
11.0	11.0	11.4	11.0	11.8	11.8	11.4	12	11.8	11.8	11.4	-	11.8	11.8

1	2	3	4	5	6	7	8	9	10	11	12	13
135	Trimming and dressing slopes when necessary	sft. %	-/9.	-/9.	-/9.	-/9.	-/9.	-/9.	-/9.	-/9.	-/9.	-/9.
136	Watering & tamping earth in embankment	cft% do	2/12	2/12	2/14	3/-	2/12	2/12	2/14	2/12	2/14	3/-
137	Turfing slopes including watering for 3 months within a mile lead	sft %	2/4	2/4	2/6	2/6	2/4	2/4	2/6	2/4	2/6	2/6
138	Public trench	cft %	2/-	2/-	2/-2	2/2	2/-	2/-	2/2	2/-	2/2	2/2
139	Rubble or rough Stone dry in revetment and aprons 1½' thick	do	7/-	7/-	7/4	7/8	7/-	7/-	7/14	7/8	7/12	8/-
140	do 1' thick	do	6/-	6/-	6/4	6/8	6/-	6/-	6/4	6/8	6/12	7/-
	Items 130 and 140: Initial lead for stone is 1/2 mile and for every mile allow 0-8-0											
141	Laminated stone revetment	cft%	9/-	89/-	9/8	9/12	9/-	9/-	9/8	9/8	8/12	10/-
142	Spalor small stone	do	5/-	5/-	5/4	5/8	5/-	5/-	5/4	5/8	5/12	6/10
143	Removing & rebuilding old revetment	do	3/12	3/12	4/-	4/-	3/12	3/12	4/-	4/-	4/-	4/-
144	do with 15% new stones	do	5/-	5/-	5/4	5/8	5/-	5/-	5/4	5/4	5/8	5/2
145	Burnt stone on edge in surki mortar for apron	do	28/-	28/-	29/8	30/-	28/-	28/-	29/8	32/-	33/-	34/-
146	Murum or gravel backing to [illegible] pes of banks including water & tamping upto 1 furlong lead		15/-	15/-	15/12	16/-	15/-	15/-	15/12	16/-	16/8	17/-
147	Item 146 for every extra furlong upto 1/2 m.	do	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-
148	do beyond 1/2 m	do	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
-/9	-/9	-/9	-/9	-/9	-/9/	-/9	-	-	-	-/9	-	-/9	-/9	
2/12	2/12	3/-	2/12	3/-	3/-	2/12	-	-	-	2/8	-	2/8	2/8	
2/4	2/4	2/4	2/4	2/6	2/4	2/4	-	-	-	2/4	-	2/4	2/4	
2/-	2/-	2/-	2/-	2/2	2/-	2/-	-	-	-	2/-	-	2/-	2/-	
7/8	7/-	7/8 8/-Yadgir Gulberga Andola	7/-	7/8	8/-	8/-	7/-	6/8	6/8	7/-	-	7/4	7/4	
6/-	6/-	6/8	6/-	6/4	6/8	6/8	-	-	-	6/8	-	6/12	6/12	
9/-	9/-	9/8	9/-	9/8	9/8	9/8	-	-	-	9/8	-	9/8	9/8	
5/-	5/-	5/8.	5/-	5/4	5/-	5/8	-	-	-	5/8	-	5/12	5/12	
3/12	3/12	4/-3/12	4/-	4/-	4/-	4/-	-	-	-	4/-	-	4/-	4/-	
5/-	5/-	5/4	5/-	5/4	5/-	5/4	-	-	-	5/4	-	5/4	5/8	
29/-	29/-30/12	29	29/-	30/12	30/12	30/12	-	-	-	30/12	-	30/12	30/12	
15/-	15/-16/-	15/	15/12	15/-	15/-	15/-	-	-	-	16/-	-	16/-	16/-	
/-	2/-	2/-	2/-	2/-	2/-	2/-	-	-	-	2/-	-	2/-	2/-	
1/8	1/8	1/8	1/8	1/8	1/8	1/8	--	-	-	1/8	-	1/8	1/8	

1	2	3	4	5	6	7	8	9	10	11	12	13
149	For mixed soils, loading, unloading, stacking & lifting again.	cft %	2/-	2/-	2/-	2/-	2/-	2/-	1/-	2/-	2/-	2/-
150	For mixing soils (B.C & muram).	do.	1/-	1/-	1/-	1/-	1/-	1/-	1/-	1/-	1/-	1/-
	Road work.											
151.	Quarrying & breaking metal 1½" gauge from hard granite boulders including stacking.	do.	60/-	60.	63.	65.	60.	60.	63	65.	68.	70.
152.	do. by burning stones.	do.	90.	90.	95.	97/8	90.	90.	95.	95.	100.	105.
	In requiring blasting throughout.	do.	110.	110.	115.	118.	110.	110.	115	110.	150.	120.
154.	do. from trap stone including stacking.	do.	65.	65.	68.	70.	65.	65.	68.	65.	68.	70.
	Detail of trap stones of varying hardness in Aurangabad.											
154. A.	Blue hard trap metal obtained from blasted boulders over 2 ft. in diam.	do.	-	-	-	-	-	-	-	-	-	-
154 B.	Blue trap from boulders.	do.	-	-	-	-	-	-	-	-	-	-
154 C.	-do- layered quarries mostly with skin.	do.	-	-	-	-	-	-	-	-	-	-
154 D.	Coarse grained soft trap stones	do.	-	-	-	-	-	-	-	-	-	-
154 E.	Kotla stone (inferior trap) shoing yellow marks in fracture	do.	-	-	-	-	-	-	-	-	-	-
155	Blasted trap including blasting & stacking.	do.	By blasting or breaking only:- 85	85	85	85	85	85	85	85	85	85
155A.	-do-											
156.	Breaking metal to 1½" gauge from quartz stone colleteted from fields including stacking.	do.	35	35	37	38	35	35	37	38	40	42.

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
2/1	2/-	2/-	2/-	2/-	2/-	2/-	-	-	-	2/-	2/-	2/-	2/-	
1/-	1/-	1/-	1/-	1/-	1/-	1/-	-	-	-	1/-	1/-	1/-	1/-	
60.	60.	65.	60.	63.	65.	-	-	-	-	-	-	-	-	
90.	90.	95.	90.	95.	95.	-	-	-	-	-	-	-	-	
110	110	110	110	115	115	-	-	-	-	-	-	-	-	
65	65	65	65	68	[illegible]	-	65	62	62	65	-	65	68	
-	-	-	-	-	-	65.	-	-	-	-	-	-	-	
-	-	-	-	-	-	66.	-	-	-	-	-	-	-	
-	-	-	-	-	-	50.	-	-	-	-	-	-	-	
-	-	-	-	-	-	55.	-	-	-	-	-	-	-	
-	-	-	-	-	-	45.	-	-	-	-	-	-	-	
85	85	85	85	85	85	85	85	85	85	85	-	85	85	
1.25% cft as per C.E., B&B L.No.E/212/1952/3395/WR dt.23-9-53.														
35	35	36	35	37	38	36	-	-	-	36	-	38	38	

1	2	3	4	5	6	7	8	9	10	11	12	13
157	Quarrying & Breaking stones 6" to 9" gauge for soling including stacking.	100 cft.	40/-	40/-	42/-	43/-	40/-	40/-	42/-	45/-	48/-	50/-
158	do. sand stone to 1½" gauge including stacking.	"		50/-	52/8	54/-	-	50/-	52/8	55/-	58/-	60/-
159	Collection of lime kunker 2" gauge for road surface including stacking.	"	50/-	50/-	52/8	54/-	50.	50/-	52/8	55/-	58/-	59/-
160	Spreading & consolating metal including watering & rolling with steem roller with water within ½ mile.	"	20/-	20/-	21/-	21/8	20/-	22/-	23/-	22/8	23/-	23/8
161	-do- with bullock roller with water within ½ mile.	"	15/-	15/-	15/12	16/-	15/-	15/-	15/12	16/-	17/-	18/-
162	Extra cost for every extra ½ m. lead water.	"	4/-	4/-	4/4	4/8	4/-	4/-	4/4	4/8	4/12	5/-
163	Spreading & Consolidating murem by bullock roller including watering with water within ½ mile.	"	9/-	9/-	9/8	9/12	9/-	9/-	9/8	9/8	9/12	10/-
163 A.	-do- with pertol roller.	"	12/-	-	-	-	-	-	-	-	-;	-
164	-do- for every extra ½ m. lead for water.	"	2/-	2/-	2/4	2/6	2/-	2/-	2/4	2/4	2/6	2/8
165	Spreading & rolling stone soling with steem roller	"	12/-	12/-	12/8	12/12	12/-	12/-	12/8	14/-	16/-	18/-
166	-do- murem for soling.	"	7/-	7/-	7/8	7/12	7/-	7/-	7/8	7/8	7/8	8/-
167	-do- with bullock roller.	"	10/-	10/-	10/8	10/12	10/-	10/-	10/8	10/-	10/8	11/-
168	Murem spreading for blindage.	"	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-
168	Picking & forming metaled surface	100 cft.	-/3	-/3	-/3	-/3	-/3	-/3	-/3	-/3	-/3	-/3
169	-do- murem surfacing.	"	-/1	-/1	-/1	-/1	-/1	-/1	-/1	-/1	-/1	-/1

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
40/-	40/-	40/-	40/-	42/-	45/-	40/-	47/8	47/8	47/8	40/-	-	45/-	45/-	
50	50/-	50/-	50/-	52/8	55/-	50/-	-	-	-	50/-	-	55/-	55/-	
21/-	20/-	21/-	21/-	22/-	22/-	22/-	25/-	23/-	23/-	22/8	-	23/-	23/-	
15/-	15/-	16/-	15/-	15/12	15/-	15/-	-	-	-	15/-	-	16/-	16/-	
4/-	4/-	4/8	4/-	4/-	4/8	4/-	-	-	-	4/-	-	4/8	4/8	
9/-	9/-	9/8	9/-	9/8	9/8	9/-	-	-	-	9/-	-	9/8	9/8	
2/-	2/-	2/4	2/-	2/4	2/-	2/-	-	-	-	2/-	-	2/4	2/4	
12/-	12/-	12/-	12/-	12/8	12/8	13/-	13/-	12/-	12/-	14/-	-	16/-	16/-	
7/-	7/-	7/-	7/8	7/8	7/-	7/-	-	-	-	7/-	-	7/-	7/-	
10/-	10/-	10/-	10/-	10/8	10/8	10/8	-	-	-	10/-	-	10/8	10/8	
3/-	3/-	3/-	3/-	3/-	3/-	3/-	-	-	-	3/-	-	3/-	3/-	
-/3	-/3	-/3	-/3	-/3	-/3	-/3	-	-	-	-/3	-	-/3	-/3	
-/1	-/1	-/1	-/1	-/1	-/1	-/1	-	-	-	-/1	-	-/1	-/1	

1	2	3	4	5	6	7	8	9	10	11	12	13
	Carting road materials such as Metal, murum sand etc.											
	Initial lead 100 ft. for murum, sand and metal.											
170.	For every 100' beyond initial lead of 100' within 1 fur.	50cft.	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	2/-	2/-
171	For 1 fur. lead	"	8/8	8/-	8/8	8/8	8/-	8/-	8/8	8/8	10/-	10/-
172	For 2 " " "		14/-	13/8	14/-	14/-	13/8	13/8	14/-	14/-	17/-	17/-
173	For 3 " " "		18/-	17/-	18/-	18/-	17/-	17/-	18/-	18/-	21/-	21/-
174	For 4 " " "		21/-	19/8	20/8	21/-	19/8	19/8	20/8	21/-	24/8	24/8
175	For 5 " " "		23/-	21/-	22/-	22/8	21/-	21/-	22/-	22/8	26/-	26/-
176	For 6 " " "		25/-	22/8	23/8	24/-	22/8	22/8	23/8	24/-	28/-	28/-
177	For 7 " " "		27/-	24/-	25/-	25/8	24/-	24/-	25/-	25/8	30/-	30/-
178	For 8 " (1 M) Lead.	"	29/-	25/8	26/8	27/-	25/8	25/8	26/8	27/-	32/-	32/-
179	For every additional furlong	"	1/4	1/-	1/-	1/-	1/-	1/-	1/-	1/-	1/4	1/4
180	Mile stones fixed in concrete bed(3½'x12"x6")	ea.	12/-	12/-	12/-	12/-	12/-	12/-	12/-	12/-	12/-	12/-
181	Fur. stones fixed in concrete bed (2½'x9"x4")	"	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-
182	Boundary stones do.(2½'x6"x6")	"	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-
183	Bench mark.	"	6/-	6/-	6/-	6/-	6/-	6/-	6/-	6/-	6/-	6/-
184	Guard stones 4' long rough dressed.	"	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-
185	Gradient stones for channel beds	"	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-
186	Plug stones with plug hole worked in	ea"	125.	125.	125.	125.	125.	125.	125.	125.	125.	125.
	Misc. items.											
187	Clearing heavy jungle.	per acre.	50/-	50/-	50/-	50/-	50/-	50/-	50/-	55/-	55/-	55/-

14	15	16	17	1	19	20	21	22	23	24	25	26	27
1/8	1/8	1/8	1/8	[illegible]	1/8	1/8	--	--	--	1/8	--	1/8	1/8
8/-	8/-	8/8	8/-	8/8	8/8	8/8	11/4	9/4	9/8	8/8	--	9/-	8/-
13/8	13/8	14/-	13/8	14/-	14/-	14/-	17/-	14/-	14/-	14/-	--	14/12	14/-
17/-	17/-	18/-	17/-	18/-	18/-	18/-	23/8	18/8	18/8	18/-	--	19/-	18/-
19/8	19/8	21/-	19/8	20/8	21/-	21/-	27/8	23/-	23/-	21/-	--	22/-	21/-
21/-	21/-	22/8	21/-	22/-	22/8	22/8	32/8	27/-	27/-	22/8	--	23/8	22/8
22/8	22/8	24/-	22/8	23/8	24/-	24/-	37/12	31/-	31/-	24/-	--	[illegible]	
24/-	24/-	25/8	24/-	25/-	25/8	25/8	42/12	35/-	35/-	25/-	--	27/32	25/8
25/8	25/8	27/-	25/8	26/8	27/-	27/-	47/8	39/8	39/8	27/-	--	28/4	27/-
1/-	1/-	1/-	1/-	1/-	1/-	1/-	3/-	2/8 upto 2nd M. 2/- 2/- Beyond	2/8	1/-	--	2/-	1/-
12/-	12/-	12/-	12/-	12/-	12/-	12/-	12/-	12/-	12/-	12/-	--	12/-	12/-
4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	--	4/-	4/-
2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	--	2/-	2/-
6/-	6/-	6/-	6/-	6/-	6/-	6/-	--	--	--	6/-	--	2/-	2/-
3/-	3/-	3/-	3/-	3/-	3/-	3/-	--	--	--	3/-	--	3/-	3/-
2/-	2/-	2/-	2/-	2/-	2/-	2/-	--	--	--	2/-	--	2/-	2/-
125.	125.	125.	125.	125.	125.	125.	--	--	--	125.	..	125.	125.
50/-	50/-	50/-	50/-	50/-	50/-	50/-	--	--	--	50/-	--	50/-	50/-

1	2	3	4	5	6	7	8	9	10	11	12	13
188	Clearing light jungle.	per acre	25/-	25/-	[illegible]	[illegible]	25/-	25/-	25/-	27/8	27/8	27/8
189	Clearing scrub jungle eloes.	"	15/-	15/-	[illegible]	[illegible]	15/-	15/-	15/-	16/8	16/8	16/8
190	Clearing prickly pear.	"	25/-	25/-	[illegible]	[illegible]	25/-	25/-	25/-	27/8	27/8	27/8
191	Dismantling brick or stone in mud walls including clearing & stacking debris.	%eft	1/-	1/-	[illegible]	[illegible]	[illegible]	1/-	1/-	1/-	1/-	1/-
192	Dismantling brick in lime morter	"	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
193	-do- stone in lime morter	"	2/4	2/4	2/4	2/4	2/4	2/4	2/4	2/4	2/4	2/4
194	-do- heerting work.	"	2/8	2/8	2/8	2/8	2/8	2/8	2/8	2/8	2/8	2/8
195	-do- cuddy stone well.	"	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-	4/-
196	Drilling holes 1ft. 1¾" dia.in rock.		-/8	-/8	-/8	-/8	-/8	-/8	-/8	-/8	-/8	-/8
197	Grooving 3"x2"	"	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
198	Water gauges cement or chisel-led.	"	2/8	2/8	2/8	2/8	2/8	2/8	2/8	2/8	2/8	2/8
199	Iron work for shutters	cwt.	According to fluctuation in the market rates.									

Sun shades. Rates to be adopted for all the districts.

			Rate for R.T.	Rate for C.T.
For doors	4' x 7'	... each	17/-	12/8
"	3½'x6½'	... "	13/-	10/-
"	3' x 6'	... "	12/8	9/-
Windows	3' x 4½'	... "	12/-	9/-
"	3' x 3½'	... "	10/-	7/-
"	2½'x3'	... "	8/8	6/8
Venitilators	3'x1½'	... "	8/-	6/-
"	2½'x1½'	... "	7/-	5/-

14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
25/-	25/-	25/-	25/-	25/-	25/-	25/-	--	--	--	25/-	--	25/-	25/-	
15/-	15/-	15/-	15/-	15/-	15/-	15/-	--	--	--	15/-	--	15/-	15/-	
25/-	25/-	25/-	25/-	25/-	25/-	25/-	--	---	---	25/-	--	25/-	25/-	
1/-	1/-	1/-	1/-	1/-	1/-	1/-	---	---	---	1/-	--	1/-	1/-	
1/8	1/8	1/8	1/8	1/8	1/8	1/8	--	---	---	1/8	--	1/8	1/8	
2/4	2/4	2/4	2/4	2/4	2/4	2/4	--	---	---	2/4	---	2/4	2/4	
2/8	2/8	2/8	2/8	2/8	2/8	2/8	--	---	---	2/8	---	2/8	2/8	
4/-	4/-	4/-	4/-	4/-	4/-	4/-	--	--	---	4/-	--	4/-	4/-	
-/8	-/8	-/8	-/8	-/8	-/8	-/8	--	---	---	-/8	--	-/8	-/8	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	--	---	---	1/4	--	1/4	1/4.	
2/8	2/8	2/8	2/8	2/8	2/8	2/8	--	---	---	2/8	--	2/8	2/8	

Oil painting Karoit brand.

1. Old wood work already painted	1 coat	% sft.	3--0--0 Green
do-	1 coat	"	2-12--0 red.
do.	2 coat	"	4--4--0 green
do.	2 coat	"	3-12--0 red
2. New woodowork.	1 coat.	"	3--8--0 green
do.	do.	"	3--4--0 red
do.	2 coat.	"	4-12--0 green
do.	2 coat.	"	5--0--0 red.
do.			

Iron work already painted on new screens, doors, railings pipes etc.

3 Pipe sets.	1 coat	% sft.	2--4--0 green
do.	1 coat	"	2--0--0 red
do.	2 coat.	"	2-12--0 green
do.	2 coat.	"	2--8--0 red.
4. Beams & joists.	25% extra over item No.3.		

....

SCHEDULE OF RATES FOR EXCAVATION OF WELLS.

Classification of soil	LIFT IN FEET									
	0 - 5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50
For the districts, Hyderabad, Medak, Nizamabad, Karimnagar, Gulbarga, Warangal, Nalgonda, Mahbubnagar & Bidar (excepts 3 Taluqs noted below)										
Black soil, Red soil & Chowka	7/-	8/-	9/4	10/12	12/8	14/8	16/12	19/4	22/-	25/-
Soft muram	8/-	9/8	11/4	13/4	15/8	18/-	20/12	23/12	27/-	13/4
Hard muram	11/-	13/-	15/4	18/12	20/8	23/8	26/12	30/4	34/-	38/-
Very hard muram	13/-	15/8	18/4	21/4	24/8	28/-	31/12	35/12	40/-	44/8
Rocky muram with pick & crowbar	25/-	28/-	31/4	34/12	38/8	42/8	46/12	51/4	56/-	61/-
Rock blasting	140/-	144/-	148/-	153/8	159/-	165/-	171/8	178/8	186/-	194/-
For Udgir, Nilanga and Ahmadpur Taluqs in Bidar Dist. Osmanabad, Nanded, Adilabad, Lingsugur, Raichur Aurangabad, Bhir & Parbhani Districts.										
Black cotton, Red or Chowka	7/8	8/8	9/13	11/7	13/6	15/10	18/3	21/1	24/4	27/12
Soft muram	8/8	10/-	11/13	13/15	16/6	19/2	22/3	25/9	29/4	33/4
Hard muram	11/8	13/8	15/13	18/7	21/6	24/10	28/3	32/1	36/4	40/12
Very hard muram	13/8	16/-	18/-	21/15	25/6	29/2	33/3	37/9	42/4	47/4
Rocky muram with pick & crowbar	26/-	29/-	32/5	35/15	39/4	44/2	48/11	53/9	58/12	64/4
Rock blasting trap	100	105/-	108/10	113/14	119/12	126/4	133/6	141/2	149/8	158/8
Ditto- granite	150/-	154/-	158/10	163/14	169/12	176/4	183/6	196/2	199/8	208/8